

CATALOGUE FOR 1850,
OF A FINE COLLECTION
OF
FLORICULTURAL
VEGETABLE, AND AGRICULTURAL
SEEDS,

COMPRISING, IN ALL, UPWARDS OF
1800 SPECIES AND VARIETIES OF FLOWER SEEDS;

AND AMONG OTHERS,

SOME SPLENDID ASSORTMENTS OF

German Asters, Stocks, Zinnias, Hollyhocks,

&c. &c. (Page 4);

**besides a numerous List of other established
favourites, and many new and rare Seeds.**

*In giving orders for Flower Seeds it is sufficient, indeed preferable, to mention the
numbers without the names; but as the numbers are changed every year,
it is absolutely necessary to say from the Catalogue for 1850.*

*See Page 4, German Assortments, and Pages 5 to 27, Miscellaneous Flower Seeds,
all of which are numbered. See also extract Page 27.*

THE

LIST OF VEGETABLE SEEDS

WILL BE FOUND TO CONTAIN ALL THE LEADING
AND MOST APPROVED VARIETIES.

TO BE HAD OF

**JAMES CARTER,
SEEDSMAN AND FLORIST,
238, HIGH HOLBORN, LONDON.**

Catalogues forwarded PREPAID on application.

* * * The German Seeds are from the usual source.

Jan. 1, 1850.

[Entered at Stationers' Hall,]

Gift of
Earl Blough
November 1957

THE NECESSARY EXPLANATIONS

respecting the Linnean Classes and Orders, the Natural Orders, Duration, Height, Colour of the Flower, Time of Flowering, and Price, in Eight Columns, are given below. The exemplification will be found at Page 5.

1st and 2nd Columns.—The Linnean Classes and Orders. 3rd.—Natural Orders.
4th Column.—*Hardiness.*

h. hardy—plants for the open borders.
hh. half-hardy—such as require a hot-bed.
t. tender—pot plants, one or more do.
f. frame—require protection till May.
g. greenhouse—greenhouse plants.
s. stove or hot-house—stove plants.

A. annual—last one year.
B. biennial—last two years.
P. herbaceous perennial—last three or more.
S. shrub, or under-shrub.
Pb. perennial bulb or tuber.
T. tree.

Application: hA. hardy annual; hB. hardy biennial; hP. hardy herbaceous perennial; hS. hardy shrub; hPb. hardy bulbous perennial; hT. hardy tree; hhA. half-hardy annual; hhB. half-hardy biennial, &c. &c.; tA. tender annual, &c.; fA. frame annual, &c.; gA. greenhouse annual, &c.; sA. stove annual; sB. stove biennial; sP. stove perennial; sS. stove shrub; sPb. stove bulbous perennial.

5th Column.—*Colour of the flower. The following are the principal:*

a. ash-grey.	cr. crimson.	o. orange.	sl. slate.
ap. apple-blossom.	d. dark.	ptd. painted.	spot. spotted.
az. azure.	div. diverse.	pur. pu. or p. purple.	stra. straw.
b. blue.	flsh. flesh.	pch. peach.	stri. & st. striped.
blk. black.	gn. or g. green.	pk. pink.	sul. sulphur.
blh. bluish.	gy. grey.	r. red.	v. violet.
br. brown.	l. light.	ro. rose.	var. variegated.
bff. buff.	lem. lemon.	saf. saffron.	w. white.
car. carmine.	li. lilac.	sc. or s. scarlet.	y. yellow.
cin. cinnamon.	mul. mulberry.	sil. silver.	yh. yellowish.

Example: d. b. dark blue; b. w. y. blue, white and yellow; l. r. light red, &c. &c.

6th Column.—*Usual height of the plant in feet; trai. trailer; cl. climber.*

7th Column.—*Usual month of flowering: 1, January; 2, February; 3, March, &c.; 3-5, March to May, &c. &c.*

8th Column.—*Price per Packet.* 6d. Packets may be had of those marked 3d., but no smaller packets can be made than those marked in the Catalogue.

TIME OF SOWING.—Hardy Annuals, February till June, and in Autumn; when sown early many of the Annuals flower in May. Hardy Biennials and Perennials, March till June, and in Autumn. Half-hardy Annuals, &c. in February till May, on a moderate hot-bed. Many of the Biennials and Perennials marked hh frequently stand the winter without protection. The half-hardy Annuals may also be sown on a warm border early in May. The tender Annuals, as Balsams, &c., require more than one hot-bed to bring them to perfection.

The Greenhouse Climbers marked ** may be planted in the borders in May.

* Dwarf Plants proper for the edgings of beds. ** Ornamental Climbers.

† Usually flower the first year, if sown early; *sp.* species, *var.* variety.

The dots [...] indicate a repetition; *pl. pluria*, many; *ex*, from.

I. The 24 Linnean Classes. (See Flower Seeds, 1st Col. page 5.)

The Linnean Classes are founded on the Sexual Organs.

Classes.	a. Stamens (male organs) equal.		e. Stamens united in sets.	
	No. 1. Monandria	1 stamen	16. Monadelphia, 1 set	
	2. Diandria	2 stamens	17. Diadelphia, 2 sets	
	3. Triandria	3 "	18. Polyadelphia, many sets	
	4. Tetrandria	4 "	d. Compound Flowers (Asters, &c.).	
	5. Pentandria	5 "	19. Syngenesia	
	6. Hexandria	6 "	e. Stamens on the style.	
	7. Heptandria	7 "	20. Gynandria	
	8. Octandria	8 "	f. Male and female separated.	
	9. Enneandria	9 "	21. Monœcia, on one plant	
	10. Decandria	10 "	22. Dioœcia, on different plants	
	11. Dodecandria 12 to 19 S. in the cup		g. Male, female, and hermaphrodite flowers, on one or different plants.	
	12. Icosandria 20 or more S. on the base		23. Polygamia, many marriages	
	13. Polyandria, many Stamens		h. Flowers wanting, or incomplete.	
	b. Stamens unequal.		24. Cryptogamia, hidden marriages (Ferns, Mosses, &c.).	
	14. Didynamia, 2 long, 2 short			
	15. Tetradynamia, 4 " 2 "			

II. The Linnean Orders. (See Flower Seeds, 2nd Column, page 5.)

The Linnean Orders are founded on the Sexual Organs, Seeds, or Pods.

a. Orders founded on the Styles, or female organs.

No. 25. Monogýnia	. 1 style
26. Digýnia	. 2 styles
27. Di-pentagýnia	2 to 5 "
28. Trigýnia	. 3 "
29. Tetragýnia	. 4 "
30. Pentagýnia	. 5 "
31. Hexagýnia	. 6 "
32. Heptagýnia	. 7 "
33. Decagýnia	. 10 "
34. Dodecagýnia	. 12 "
35. Polygýnia	many "

b. On the Stamens (male organs).

36. Monan'dria	. 1 stamen
37. Diandria	. 2 stamens
38. Triandria	. 3 "
39. Tetrandria	. 4 "
40. Pentandria	. 5 "
41. Hexandria	. 6 "
42. Heptandria	. 7 "
43. Octandria	. 8 "
44. Enneandria	. 9 "
45. Decandria	. 10 "
46. Dodecandria	. 12 "
47. Icosandria	. 20 "
48. Polyandria	many "

c. On the sets of Stamens.

No. 49. Monadelphía, 1 set

d. Styles and stamens united.

50. Gynandria

e. Male and female separate.

51. Monœ'cia, on one plant

52. Dicœ'cia, on different plants

f. On the Polygamy.

53. { Polygámia æqualis, or Equal Polygamy

54. { Polygámia superflua Superfluous Polygamy

55. { Polygámia frustrænea Frustrated Polygamy

56. { Polygámia necessariã Necessary Polygamy

57. { Polygámia segregata Separated Polygamy

g. On the Seeds.

58. { Gymnosper'mia Naked seeds

59. Angiosper'mia, in a capsule

h. On the Pods.

60. Siliculôsa, a small pod

61. Siliquôsa, a long pod.

III. The Natural Orders. (See Flower Seeds, 3rd Column, page 5.)

The Natural Orders are founded on Structural Affinities.

62. Acanthacæ	85. Cucurbitacæ	108. Loasacæ	131. Ranunculacæ
63. Amaranthacæ	86. Dioscoreacæ	109. Lobeliacæ	132. Resclicæ
64. Amaryllidacæ	87. Dipsacæ	110. Lythracæ	133. Rosacæ
65. Apocynacæ	88. Epacridacæ	111. Magnoliacæ	134. Rutacæ
66. Araliacæ	89. Ericacæ	112. Malvacæ	135. Sapindacæ
67. Asclepiadacæ	90. Escalloniacæ	113. Marantacæ	136. Scitamineæ
68. Balsaminacæ	91. Euphorbiacæ	114. Melanliacæ	137. Scrophulariacæ
69. Begoniacæ	92. Ficoideæ	115. Myrsinacæ	138. Selaginacæ
70. Berberidacæ	93. Francoacæ	116. Myrtacæ	139. Scsacæ
71. Bignoniacæ	94. Funariacæ	117. Musacæ	140. Silenacæ
72. Boraginacæ	95. Gentianacæ	118. Nyctaginæ	141. Solanacæ
73. Cactacæ	96. Geraniacæ	119. Nymphaeacæ	142. Stellatæ
74. Campanulacæ	97. Gesneracæ	120. Onagrariæ	143. Sterculiacæ
75. Capparidacæ	98. Graminacæ	121. Papaveracæ	144. Thymelacæ
76. Caprifoliacæ	99. Hydrophyllacæ	122. Passifloracæ	145. Tremandacæ
77. Cinchonacæ	100. Hypericacæ	123. Pittosporacæ	146. Tropæolacæ
78. Cistacæ	101. Iridacæ	124. Plumbaginacæ	147. Tulipacæ
79. Cobacæ	102. Jasmínacæ	125. Polemoniæ	148. Umbelliferæ
80. Comminacæ	103. Labialæ	126. Polygalacæ	149. Valerianacæ
81. Compositæ	104. Leguminosæ	127. Polygonacæ	150. Verbenacæ
82. Convolvulicæ	105. Liliacæ	128. Portulacæ	151. Violacæ
83. Crassulicæ	106. Limnanthacæ	129. Primulacæ	152. Zygophyllacæ
84. Crucifera	107. Linacæ	130. Proteacæ	

Additional Natural Orders.

153. Oxalidacæ	154. Melastomacæ	155. Phytolaccacæ	156. Selaginacæ.
----------------	------------------	-------------------	------------------

The names of the Natural Orders ending in ACÆ are chiefly derived from Generic Names, as CAMPANULACÆ from CAMPANULA; such as end in Æ only are not, as COMPOSITÆ, CRUCIFERÆ, LABIATÆ, &c.

GERMAN FLOWER SEEDS

IN THE ORIGINAL SEALED PACKETS.

These Seeds warranted to equal, if not surpass, any in the Kingdom.

No.	h. <i>hardy</i> ; hh. <i>half-hardy</i> ; t. <i>tender</i> ; A. <i>annual</i> ; B. <i>biennial</i> ; P. <i>perennial</i> .					s. d.
1	24	splendid varieties of German Aster, separate, hhA.	do.	do.	do.	6 0
2	24	do. do. do.	do.	do.	smaller packets	3 0
3	12	do. do. do.	do.	do.	do.	3 0
4	12	do. do. do.	do.	do.	smaller packets	1 6
5	12	superb new Globe	do.	do.	do.	3 0
6	12	do. do. do.	do.	do.	smaller packets	1 6
7	6	do. do. do.	do.	do.	do.	1 9
8	6	do. do. do.	do.	do.	smaller packets	1 0
9	12	new double Pyramidal	do.	do.	do.	3 0
10	12	do. do. do.	do.	do.	smaller packets	1 6
11	12	new Globe Pyramidal	do.	do.	do.	3 0
12	12	do. do. do.	do.	do.	smaller packets	1 6
13	60	splendid German Aster, comprising Nos. 1, 5, 9, 11	do.	do.	do.	14 0
14	60	do. do. do.	do.	do.	smaller packets	7 0
15	20	beautiful new dwarf German Aster, separate	do.	do.	do.	5 0
16	20	do. do. do.	do.	do.	smaller packets	2 6
17	10	do. do. do.	do.	do.	do.	2 6
18	10	do. do. do.	do.	do.	smaller packets	1 6
19	24	extra fine dwarf German Stock, separate, hhA.	do.	do.	do.	7 0
20	24	do. do. do.	do.	do.	smaller packets	3 6
21	12	do. do. do.	do.	do.	do.	4 0
22	12	do. do. do.	do.	do.	smaller packets	2 0
23	12	finest branching Nosegay do.	do.	do.	do.	3 0
24	12	do. do. do.	do.	do.	smaller packets	1 6
25	12	very fine wallflower-leaved or Prussian Stock, separate	do.	do.	do.	3 0
26	12	do. do. do.	do.	do.	smaller packets	1 6
27	60	fine German Stock, comprising Nos. 19, 23, 25	do.	do.	do.	15 0
28	60	do. do. do. separate Nos. 20, 24, 26	do.	do.	smaller packets	7 6
29	12	finest new Antirrhinum or Snapdragon, hP†	do.	do.	do.	2 6
30	20	beautiful double Balsam, tA. or greenhouse	do.	do.	do.	5 0
31	10	do. do. do.	do.	do.	do.	2 6
32	50	finest Carnation, 5 of each, fP.	do.	do.	do.	12 0
33	10	Cock'scomb, ta	do.	do.	do.	3 6
34	8	finest Elichrysium or Xeranthemum, hhA.	do.	do.	do.	2 0
35	40	extra fine double Hollyhock, hP.	do.	do.	do.	6 0
36	20	do. do. do.	do.	do.	do.	3 0
37	12	finest double dwarf Rocket Larkspur, hA.	do.	do.	do.	2 6
38	12	do. do. tall do. hA.	do.	do.	do.	2 6
39	12	finest varieties of Marigold, hhA.	do.	do.	do.	3 0
40	12	beautiful new Petunia, hP†	do.	do.	do.	3 6
41	12	extra fine new varieties of Phlox Drummondii, hhA.	do.	do.	do.	5 0
42	16	extra fine double Poppy, hA.	do.	do.	do.	3 0
43	8	do. do. do.	do.	do.	do.	1 6
44	12	beautiful Salpiglossis, hhA.	do.	do.	do.	3 6
45	12	splendid new Scabious, hP†	do.	do.	do.	3 0
46	12	finest biennial Stock, hhB.	do.	do.	do.	3 0
47	12	do. do. do.	do.	do.	smaller packets	1 6
48	12	superb new Wallflower, hP.	do.	do.	do.	5 0
49	12	do. do. do.	do.	do.	smaller packets	2 6
50	6	do. do. do.	do.	do.	do.	2 6
51	6	do. do. do.	do.	do.	smaller packets	1 6
52	24	splendid Zinnia elegans, hhA.	do.	do.	do.	8 0
53	12	do. do. do.	do.	do.	do.	4 0
54	A selection of the finest annuals from the above assortment					60 0
55	A smaller do. do. from do. do.					30 0

CATALOGUE.

N.B. The Numbers 1 to 24 represent the 24 Linnean Classes (see Column 1st), whereas those indicating the Linnean Orders (2nd Column) and the Natural Orders (3rd Column) are arbitrary; their signification is given above (see Page 3rd). Example, Campanula, 5, 25, 74, belongs to the 5th Linnean Class, *Pentandria*, the flower having 5 Stamens; to the Linnean Order *Monogynia*, from its having 1 Style (Pistillum); and to the Natural Order *Campanulaceae*, plants with Bell-shaped Flowers. See page 7.

MISCELLANEOUS FLOWER SEEDS.

The following Plants, with few exceptions, have no popular name; thus *Acacia cæfra* is rendered *Caffrarian Acacia*, &c.—In giving orders it is sufficient to mention the numbers and date of this Catalogue, 1850. N.B. The numbers being changed every year, it is absolutely necessary to say from what Catalogue they are taken.

A — indicates a variety. () That the word is not literally translated, or is superadded.		THE ACCENTS.		Linnean Class.	Linnean Order.	Natural Order.	Hardiness and Duration.	Colour of the Flower.	Height in Feet.	Month of Flowering.	Price per Packet.
Scientific Name.											
No.									feet		s.d.
56	<i>Acacia cæfra</i>	<i>Caffrarian</i>		16	44	104	gS	yh.w	10	5-7	6
57	<i>lophantha</i>	<i>erect-flowered</i>		y.	6	...	6
58	<i>pulchella</i>	<i>pretty</i>		5	...	6
59	<i>speciosa</i>	<i>showy</i>		pur.	10	8-10	6
60	— — —	<i>fine mixed</i>		div.	div.	div.	1 0
61	<i>Achimenes</i>	<i>8 sp. mixed</i>		14	59	97	sPb	...	1	6-8	1 0
62	<i>Aconitum chinense</i>	<i>Chinese</i>		13	28	131	hPt	b.	3	8-9	3
63	— — —	<i>fine mixed</i>		w&b	...	7-9	3
64	<i>Adenophora suaveolens</i>	<i>fragrant</i>		5	25	74	...	b.	2	6-8	3
65	<i>Æthionema persica</i>	<i>Persian</i>		15	61	84	...	pk.	3	7-8	3
66	<i>Agapanthus umbellatus</i>	<i>umbellate</i>		6	25	105	gPb	b.	3	5-8	6
67	<i>Ageratum mexicanum</i>	<i>Mexican</i>		19	53	81	hA	...	2	7-8	3
68	<i>odoratum</i>	<i>odorous</i>		li.	3
69	<i>Agrostis elegans*</i>	<i>elegant</i>		3	26	98	...	gn.	1	...	3
70	<i>Aloe albispina</i>	<i>white-spined</i>		6	25	105	gP	sc.	5	6-8	1 0
71	<i>echinata</i>	<i>echinate</i>		o.	...	7-8	1 0
72	<i>flavispina</i>	<i>yellow-spined</i>		r.	...	6-8	1 0
73	<i>Alonsoa grandiflora</i>	<i>large-flowered</i>		14	59	137	hhPt	sc.	1½	6-9	6
74	<i>incisifolia</i>	<i>cut-leaved</i>		6
75	— — —	<i>fine mixed</i>		6
76	<i>Alstroemeria aurantiaca</i>	<i>orange</i>		6	25	64	fPb†	o.	2½	...	3
77	<i>Ligü</i>	<i>Ligü</i>		cr.	2	...	6
78	<i>Polegrina</i>	<i>(striped)</i>		stri.	6
79	— <i>alba</i>	<i>white</i>		w.	6
80	<i>pulchella</i>	<i>pretty</i>		sc.	6
81	<i>tricolor</i>	<i>three-coloured</i>		w p y	6
82	<i>var. Van Houttii</i>	<i>v. Houtte's hybrids</i>		div.	6
83	— — —	<i>Nos. 76 to 82</i>		2 6
84	— — —	<i>fine mixed</i>		6
85	<i>Alyssum saxatile</i>	<i>rock</i>		15	60	84	hPt	y.	1	5-6	3
86	<i>Wiersbeckii</i>	<i>Wiersbeck's</i>		6-7	3
87	<i>Amaranthus tricolor</i>	<i>three-coloured</i>		21	40	63	tA	var.	...	7-8	3
88	<i>speciosus (monstruosus)</i>	<i>showy</i>		hhA	pur.	2½	...	3
89	<i>Amethystea cærulea</i>	<i>blue</i>		2	25	103	hA	b.	1½	...	3
90	<i>Anagallis Piercei</i>	<i>Pierce's (fringed)</i>		5	...	129	gPt	b&w	1	6-9	1 0
91	<i>grandiflora azurea</i>	<i>large blue</i>		6
92	<i>Parksii</i>	<i>Parks's</i>		r.	6
93	— — —	<i>6 sp. separate</i>		div.	2 6
94	<i>Anchusa ochroleuca italica</i>	<i>Italian</i>		72	hPt	pur.	2	6-8	3
95	<i>Anemone coronaria</i>	<i>(Poppy Anemone)</i>		13	35	131	hPb	div.	1	5-7	6

<i>A — indicates a variety. () That the word is not literally translated, or is superadded.</i>		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.	
No.							feet		s. d.	
96	Anemone coronaria præcox	early (Russian)	13	35	131	hPb	div.	1	4-6	6
97	Hudsoniana	(Hudson's Bay)	hP	w.	...	5-7	6
98	narcissiflora	Narcissus-flowered	6
99	Pulsatilla	(Pasque-flower)	v.	$\frac{1}{2}$	4-5	6	6
100	sulphurea	sulphur-coloured	sul.	6
101	Anoda Dilleniana	Dillenius's	16	48	112	hA	b.	$1\frac{1}{2}$	7-8	3
102	Anomatheca cruenta	blood-red	3	25	101	fPb	r.	1	6-8	3
103	Antirrhinum annuum	annual	6	...	105	hA	y.	$\frac{3}{4}$	7-8	3
104	Antirrhinum Majus, album	Snapdragon, white	14	59	137	hP†	div.	2	6-9	3
105	— caryophylloides	— Carnation	stri.	3
106	— — flavum	— yellow do.	6
107	— — coccineum	— scarlet	sc.	3
108	— — eximium	— choice	4col.	3
109	— — kermesinum	— crimson	cr.	3
110	— — ochroleucum	— pale yellow	ly.	3
111	— — —	Nos. 104 to 110	div.	1	6
112	— — —	splendid mixed	6
113	Aquilegia canadensis	Canadian	13	30	131	...	r & o.	$1\frac{1}{2}$	5-7	3
114	formosa	beautiful	6
115	glandulosa	glandular	b & w	6
116	sibirica plena	Siberian double	b.	3
117	Skinneri	Skinner's	r & gn	6
118	— — —	Nos. 113 to 117	div.	1	6
119	— — —	fine mixed	6
120	Arabis caucasica	Caucasian	15	61	84	...	w.	$\frac{3}{4}$...	3
121	Arabis japonica	Japan	5	30	66	sS	...	4	6-8	6
122	Ardisia	2 fine species	...	25	115	...	sc.	6	7-9	6
123	Arduina bispinosa	two-spined	65	gS	w.	2	4-8	1 0
124	Argemone grandiflora	large-flowered	13	...	121	hA	7-8	6
125	mexicana	Mexican	y.	3
126	Aristea major	larger	3	...	101	gPb	bl.	1	5-7	1 0
127	Armoria formosa	beautiful	5	30	124	hP†	pk.	...	6-8	6
128	Asclepias curassavica	Curassao	...	26	67	sP	sc.	$2\frac{1}{2}$	7-8	6
129	ornata	ornamented	gP	pur.	3	...	6
130	tuberosa	tuberous-rooted	fP	or.	2	...	6
131	Aster tenellus*	stender	19	54	81	hB†	b.	$\frac{3}{4}$...	3
132	Athanasia annua	annual	...	53	...	hA	y.	$\frac{3}{4}$...	3
133	Atrogene capensis	Cape	13	35	131	gP	pur.	4	...	6
134	Aulax	2 fine species	22	39	130	gS	y.	2	7-9	1 0
135	Azalea	fine mixed	5	25	89	hS	div.	3	5-7	6
136	Balsamina latifolia	broad-leaved	...	30	68	gA	r.	$1\frac{1}{2}$	6-9	6
137	Baptisia australis	southern	10	25	104	hP	b.	$2\frac{1}{2}$	6-8	3
138	perfoliata	perfoliated	gP	y.	3	7-8	6
139	Bartonia aurea	golden	13	...	108	hA	...	2	...	3
140	Berberis repens	creeping	6	...	70	hS	...	trai	5-6	6
141	Bignonia**	finest mixed	14	59	71	sS	o & y.	6	7-9	6
142	Blumenbachia insignis	beautiful	18	48	108	hA	w.	1	7-8	6
143	Boronia denticulata	denticulated	8	25	130	gS	red	2	5-7	1 0
144	Brachyodone iberidifolia	Iberis-leaved	19	4	81	hA	b.	$1\frac{1}{2}$	6-8	6
145	— alba	white	w.	6
146	— — —	20 var. mixed	div.	6
147	Browallia elata	tall	14	59	137	gA	b.	2	7-8	3
148	elata alba	white	w.	3
149	Brugmansia	3 fine varieties	5	25	141	gS	wys.	6	6-9	1 0
150	Brunia superba	superb	90	...	w.	4	5-7	1 0
151	Bulbine floribunda	bunch-flowered	6	...	105	gPb	y & g.	1	8-9	6
152	Burchellia capensis	Cape	5	...	77	sS	sc.	4	3-5	1 0
153	Cacalia coccinea	scarlet	19	53	81	hA	...	$\frac{3}{4}$	7-8	3
154	coccinea aurea	golden	y.	3
155	Calampelis scaber**	rough (podded)	14	59	71	hP†	o.	6	7-9	6

A—indicates a variety. () That the word is not literally translated, or is superadded.

No.		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght. fect.	M. of Flow.	Price. s.d.
156	<i>Calampelis scaber miniata</i> **	14	59	71	hhP+	ver.	6	7-9	1 0
157	<i>Calandrinia discolor</i>	11	25	128	hhA	ro.	1½	7-8	6
158	<i>glandulosa</i>	pur.	¾	...	3
159	<i>grandiflora</i>	1½	...	3
160	<i>speciosa</i>	¾	...	3
161	<i>umbellata</i>	hhP	cr.	¾	...	6
162	— — —	A & P	div.	div.	...	1 6
163	<i>Calceolaria pinnata</i>	2	...	137	1½	...	3
164	— — —	gp	div.	2	6-8	1 0
165	— — —	hhP	y.	6
166	<i>Calendula Tragus</i>	19	56	81	gS	w&p	...	5-6	6
167	<i>Callichroa platyglossa</i>	hA	y.	1	7-8	3
168	<i>Calliopsis (Corcopsis)</i>	...	55	div.	2	...	6
169	<i>bicolor</i>	y & r	3
170	— Ackermanni	o & r	3
171	— atrosanguinea	d. r.	3
172	— fistulosa	y & r	3
173	— grandiflora	3
174	— nigra speciosa	dark	3
175	— scniplena	y & r	6
176	<i>Drummondii</i>	y & br	1	...	3
177	<i>Atkinsoniana</i>	hP	y.	3	...	3
178	— — —	hA	div.	1&2	...	1 6
179	<i>Callistachys recta</i>	10	25	104	sS	y.	4	6-7	6
180	<i>Campánula carpatica</i>	5	...	74	hP+	l. b.	¾	7-8	3
181	<i>grandiflora</i>	b.	1	...	6
182	<i>grandis</i>	2	...	3
183	<i>macrantha</i>	pur.	3	...	3
184	<i>persicifolia</i>	b.	2	...	3
185	<i>pulcherrima</i>	1	...	6
186	<i>pyramidalis</i>	hP	l. b.	3	...	3
187	— alba	w.	3
188	<i>sibirica</i>	hB+	b.	1	...	3
189	<i>stricta</i>	1½	...	3
190	<i>Trachelium</i>	hP	b&w	2½	...	6
191	— — —	B & P	div.	div.	...	2 6
192	— — —	6
193	<i>Lòrci</i>	hA	b.	1	...	3
194	— alba	w.	3
195	— — —	b&w	3
196	<i>pentagonia</i> *	b.	3
197	— alba*	w.	3
198	<i>Canna aurantiaca</i>	1	...	113	sP+	or.	4	1-12	6
199	<i>coccinea</i>	sc.	2	...	6
200	<i>floribunda</i>	r.	5	6-8	6
201	<i>gigantea</i>	r & y	6	1-12	6
202	<i>indica</i>	r.	2	...	6
203	<i>lutea</i>	y.	6
204	<i>picta</i>	r & y	3	...	6
205	<i>speciosa</i>	r.	...	7-9	6
206	<i>spectabilis</i>	sc.	4	...	6
207	— — —	div.	div.	...	4 0
208	— — —	1 0
209	<i>Capparis spinosa</i>	13	...	75	fS	w.	3	5-7	6
210	<i>Cardiospermum halicacabum</i>	8	28	135	sS	w&g	4	6-8	6
211	<i>Carthaus tinctorius</i>	19	53	81	hA	o.	6	7-8	3
212	<i>Cassia corymbosa</i>	10	25	104	gS	y.	4	...	6
213	<i>Castilleja lithospermoides</i>	14	59	137	hhA	sc.	2	...	6
214	<i>Catananche lutea</i>	19	53	81	hA	y.	1	...	3
215	<i>cærulea</i>	hP+	b.	2	...	3

<i>A — indicates a variety. () That the word is not literally translated, or is superadded.</i>			L.	O.	N.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
216	Catananche cærulea bicolor	two-coloured	19	53	81	hP+	w&b	2	7-8	3
217	Celsia Areturus	Arcturus	14	59	141	hB	y.	4	...	6
218	crética	Cretan	3
219	orientalis	oriental	hA	...	1½	...	3
220	— — —	Nos. 217 to 219	div.	...	div.	...	1 0
221	Centaurea americana	American	19	55	81	fA	r.	3	8-10	6
222	atropurpurea	dark purple	hP+	d.pu.	2	7-8	3
223	depressa*	dwarf	hA	b & r	1	...	3
224	splendens densa	splendid	hP+	d.r.	2	...	3
225	— — —	fine mixed	div.	div.	...	6
226	Centranthus macrosiphon	long-tubed (extra)	1	25	149	hhA	r.	6
227	Chaenostoma polyanthum	many-flowered	14	59	137	...	li.	6
228	fastigiatum	bunch-flowered	r.	6
229	viscosum	viscid	pk.	6
230	Chelone barbata	bearded	hP+	sc.	2	...	6
231	glabra	smooth	w.	3
232	elegans rosea	elegant rose	ro.	6
233	sp. mexicana	Mexican	sc.	6
234	Chorozeia rhombæa	rhom-b-(leaved)	10	25	104	gS	y.	2½	5-7	6
235	macrophylla	long-leaved	r.	...	4-6	1 0
236	Cineraria argentea	silvery	19	54	81	hP	w.	4	7-8	3
237	eruenta, pl. sp. & var.	(splendid mixed)	gP	div.	2	5-7	1 0
238	Chironia	3 fine species	5	25	95	gS	6-8	1 0
239	Cistus	4 sp. separate	13	...	78	fP	w&p	...	6-7	1 6
240	— — —	fine mixed	6
241	Cladanthus arabicus	Arabian	19	54	81	hA	y.	1	7-8	3
242	Clarkia elegans	elegant	8	25	120	...	li.	1½	...	3
243	— flore pleno	double	3
244	— nana	dwarf	¾	...	6
245	— neriofolia	Nerium-leaved	ro.	1	...	6
246	— rosea	rose-coloured	1½	...	3
247	— — —	Nos. 242 to 246	li & ro	div.	...	1 6
248	pulchella	pretty	ro.	1½	...	3
249	— alba	white	w.	3
250	— atropurpurea	dark purple	d.p.	6
251	— fimbriata	fringed	ro.	3
252	— grandiflora	large-flowered	r.	6
253	— — alba	large-flowered, white	w.	3
254	— — —	Nos. 248 to 253	div.	1 6
255	— — —	mixed	3
256	Clématis flammula**	flame (fragrant)	13	35	131	hS	w.	20	6-9	6
257	— — —	3 sp. mixed**	10	...	6
258	Cleome arborea	tree-like	15	61	75	sS	...	8	7-8	6
259	pentaphylla	five-leaved	hhA	...	2	...	6
260	spinosa	spiny	hhB+	ro.	6
261	— — —	mixed	div.	w&ro	...	6
262	Clerodendrum fallax superb.	superb	14	59	150	sS	sc.	6	8-10	1 0
263	Clëthra arborea	tree-like	10	25	89	gS	w.	8	7-9	6
264	Clianthus puniceus	crimson	17	45	104	...	cr.	6
265	Clitonia elegans*	elegant	16	40	109	hhA	b.	1½	7-8	3
266	pulchella*	(pretty) extra	3 col.	6
267	— alba	white	w.	6
268	Clitorea Ternatea**	(sky-blue)	17	45	104	sS	b.	4	...	1 0
269	— mariana**	Maryland	6
270	sp. florida**	species Florida	li.	6
271	Cluytia alaternoides	Alaternus-like	22	49	91	gS	w.	2	3-10	6
272	pulchella	pretty	1-6	6
273	Cobæa scandens**	climbing	5	25	79	...	pur.	30	6-9	6
274	Còix lachryma	(Job's Tears)	21	38	98	sA	gn.	2	6-7	6
275	Coleonema pulchella	pretty	5	25	134	gS	w.	...	3-7	6
276	Collinsia grandiflora*	large-flowered	14	59	137	hA	pk&b	1	7-8	3

A—indicates a variety. () That the word is not literally translated, or is superadded.

No.			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
277	Collinsia bicolor*	two-coloured	14	59	137	hA	pk&w	1	7-8	s. d.
278	— atrorubens*	dark red	r & w	3
279	— heterophylla	various-leaved	p&w	3
280	verna*	vernal	p&b.	3
281	— — —	Nos. 276 to 280	div.	1 0
282	Collomia coccinea*	scarlet	5	25	125	...	sc.	3
283	grandiflora	large-flowered	bff.	3
284	Commelina coelestis	sky-blue	3	...	80	fPb	b.	1½	...	6
285	— albiflora	white	w.	6
286	Correa ventricosa	bellied	8	...	134	gS	...	3	6-8	1 0
287	Corydalis glauca	glaucous	17	41	94	hA	y&p.	2	7-8	3
288	Cosmanthus fimbriatus	fringed	5	25	99	hBA	flsh.	¾	...	6
289	Cosmea bipinnata	bipinnate	19	55	81	...	pur.	2	8-10	3
290	purpurea grandiflora	large-flower'd purple	6
291	Cótula*	2 species	...	54	...	hA	y.	½	7-8	6
292	Crassula odoratissima	sweetest-scented	5	30	83	gS	pk	1	6-8	1 0
293	Crœus vernus	vernal	3	25	101	hPb	div.	¾	3-4	6
294	Crotalaria elegans	elegant	16	45	104	gS	y.	3	6-8	1 0
295	Crucianella stylösa	long-styled	4	25	142	hP+	pk	1	...	3
296	Cücumis Dudaim	(apple-shaped) pretty	21	49	85	fA	y.	trai	...	6
297	flexuösa	(snake) remarkable	6
298	— — —	3 species mixed	6
299	Cùphea miniata	vermillion	11	25	110	fS	ver.	2	7-8	1 0
300	platycentra	broad-centred	s&w	1½	...	6
301	procumbens	procumbent	hhA	l. pu. trai	3
302	silenoides	Silene-like	bh.	1½	...	6
303	strigillösa	strigillöse	s&y.	6
304	— — —	Nos. 299 to 303	div.	div.	div.	2 6
305	Cyclamen europæum	European	5	...	129	hPb	r.	½	...	6
306	— — —	fine mixed	gPb	w&r	...	3-8	1 0
307	Cynoglossum glochidatum	glochidate	72	hB	b.	3	7-8	3
308	Cy'tisus alpinus	(Scotch Laburnum)	16	45	104	hT	y.	30	5-6	3
309	Laburnum	(English Laburnum)	15	...	3
310	— — —	5 species separate	hS	...	3	6-8	1 0
311	— — —	fine mixed	6
312	Dahlia glabrata	smooth (stalked)	19	54	81	fPb	pur.	1½	7-9	6
313	variabilis, Willd.	variable (double)	div.	4	8-10	6
314	Datura ceratocaula	horn-stalked	5	25	141	hhA	w&ro	3	7-8	6
315	fastuösa flore pleno	double showy	b.	2	...	6
316	— alba flore pleno	double white showy	w.	6
317	Daubentonia Tripetiana	Tripel's	17	45	104	gS	s&o	6	...	1 0
318	Delphinium chinense	Chinese	13	28	131	hP+	b.	1	...	3
319	— album	white Chinese	w.	3
320	— — —	finest mixed, 12 var.	div.	6
321	azüream	azure	b.	2	...	3
322	grandiflorum	large-flowered	1½	...	3
323	lazinum	lazinine	2	...	3
324	ochroleucum	pale yellow	yh.w	3
325	puniceum	erinson	cr.	6
326	speciosum	showy	b.	3
327	splendidum	splendid	6
328	tricolor	three-coloured	3col.	6
329	— — —	Nos. 318 to 328	div.	div.	...	3 0
330	— — —	finest mixed	6
331	Dianthus atrorubens fl. pl.	double dark red	10	26	140	...	d. r.	1	6-8	6
332	— atroviolaceus fl. pl.	double dark violet	d. v.	6
333	— barbatus pl. var.	Sweet William	hP	div.	1½	...	3
334	— — coccineus	— scarlet	sc.	6
335	— — flore-pleno	— double. See p. 27.	div.	6
336	Caryophyllus	Carnation	2	...	3

<i>A — indicates a variety. () That the word is not literally translated, or is superadded.</i>			Cl.	O.	N.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.			L.	L.	N.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
337	Dianthus Caryophyllus fl.pl.	(double Carnation)	10	26	140	hP	div.	2	6-8	1 0
338	— — bicolor striatus	— double Flakes	fP	2 6
339	— — variegatus	— double Bizarres	2 6
340	— — albo-punctatus	(Picotees, white gr.)	2 6
341	— — luteo-punctatus	(— yellow grounds)	2 6
342	— — —	Nos. 337 to 341	10
343	— — —	fine d. m. Carnation	2 6
344	— — —	fine d. m. Picotee	2 6
345	caucasicus	Caucasian	pur.	1	...	6
346	chinensis*	(Indian Pink) 20 var.	hB†	div.	6
347	— — flore pleno*	— double	6
348	— — albus*	— white	w.	6
349	— — hybridus*	— hybrid	div.	6
350	deltoides	Maiden Pink, 2 var.	r&w	½	...	3
351	giganteus	gigantic	hB	r.	2	...	3
352	hispanicus*	Spanish	hP†	div.	1	...	3
353	— splendens	splendid	se.	6
354	imperialis	Imperial	hB†	div.	6
355	japonicus	Japan	hP†	se.	6
356	latifolius	broad-leaved	hB†	div.	3
357	moschatius	musk (Garden Pink)	hP	w&p	1½	...	3
358	— flore-pleno	(doub. Garden Pink)	1 0
359	plumarius	feathered Pink	6
360	pulchellus*	pretty	div.	1	...	3
361	suavis	sweet	pk.	6
362	superbus	superb	li.	1½	...	3
363	— — —	Nos. 345 to 362	div.	div.	...	6 0
364	— — —	6 finest sorts	3 0
365	Didiscus cæruleus	blue (Trachymene)	5	25	148	hhA	bl.	2	7-8	6
366	Digitalis aurea	golden	14	59	137	hP†	y.	1½	...	3
367	ferruginea	iron-coloured	br.	3
368	grandiflora	large-flowered	y.	3
369	purpurea	purple	hP	p.	3	...	3
370	— alba	white	w.	3
371	— bicornuta	two-horned	3
372	— punctata	spotted	spo.	3
373	— rosea	rose-coloured	ro.	3
374	— — —	Nos. 366 to 373	div.	1 6
375	Diosma	4 fine species	5	25	134	gS	w.	...	3-7	2 6
376	Dillwynia angustifolia	narrow-leaved	10	...	104	...	y.	...	5-6	1 0
377	Dodecatheon Meadia	Meadia	5	...	129	fP	l. pu.	1	6-8	6
378	Dolichos lignosus	ligneous*	17	45	104	gS	pur.	12	...	6
379	capensis	Cape*	y.	6	...	6
380	Dracocéphalum argenteum	Argun	14	58	103	hP	b.	1½	7-8	6
381	altaianse	Attaian	1	...	3
382	canariense	(Balm of Gilead)	fP	r & p	1½	...	3
383	Echium ferox	(spiny)	5	25	72	fS	w.	2	...	6
384	fruticosum	shrubby	pk.	6
385	plantaginæum	Plantain-leaved	hA	pur.	1½	...	3
386	Elichrysium macranthum	long-flowered	19	54	81	hhA	l. ro.	3
387	bracteatum	(yell. Xeranthemum)	y.	3
388	— album	(wh. Xeranthemum)	w.	3
389	— — —	8 var. mixed	div.	6
390	— — —	Nos. 386 to 389	1 0
391	argenteum	silvery	gS	w.	2	5-7	1 0
392	fulgidum	glowing	y.	...	3-9	1 0
393	maritimum	sea-side	w&y	4	6-8	6
394	sesamoides	Sesamum-like	p&w	2	4-6	1 0
395	speciosissimum	most showy	8	7-9	1 0
396	Stæhetina	Stæhetina	w.	1½	1-12	6

A — indicates a variety. () That the word is not literally translated, or is superadded.

No.		L.	O.	N.	O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
397	Elichry'sum	19	54	81	gS	div.	div.	div.	s. d.	5 0
398	— — —	1 0
399	Epàeris	5	25	88	2	2 6
400	Epiphyllum et Cactus	12	...	73	sS	...	div.	1 0
401	Eragrostis elegans*	3	26	98	hA	gn.	1	7-8	...	6
402	Eranthis hyemalis	13	55	131	hPb	y.	1	1-3	...	3
403	Eremidrus spectabilis	6	25	105	2	5-6	...	6
404	Erica capitata	8	...	89	gS	...	1½	4-7	...	1 0
405	cerinthoides	sc.	2	5-8	...	1 0
406	coriifolia	l. pu.	1½	8-10	...	1 0
407	cruenta	r.	2	5-8	...	1 0
408	gnaphaloides	w.	1	2-8	...	1 0
409	imbricata	pk.	2	5-8	...	1 0
410	lutea	l.	1	2-5	...	1 0
411	mammosa	pur.	2	7-9	...	1 0
412	margaritacea	w.	1½	5-9	...	1 0
413	Patersoniana	y.	2½	4-9	...	1 0
414	perspicua	pk.	2½	5-6	...	1 0
415	Petiverii	y.	2	3-7	...	1 0
416	Plukenetii	r.	½	5-7	...	1 0
417	pulchella	2½	7-8	...	1 0
418	purpurea	p.	2	6-8	...	1 0
419	ramcutacea	d. r.	1½	7-11	...	1 0
420	Sebana	o.	2	3-6	...	1 0
421	spicata	l. y.	2½	3-9	...	1 0
422	vestita	w.	3	1 0
423	versicolor	o. & r.	2	5-9	...	1 0
424	— — —	div.	div.	div.	15s	...
425	— — —	7 6	...
426	— — —	2 6	...
427	Erinus alpinus	14	59	137	hP†	li.	½	4-6	...	6
428	Eryngium gigantum	5	26	148	hP	...	2	7-8	...	6
429	Ery'sinum Peroffskianum	15	61	84	hA	o.	1	6-7	...	3
430	Erythrina caffra	17	45	104	gS	sc.	6	5-7	...	1 0
431	crista-Galli	sS	...	30	6-8	...	1 0
432	Esebscholtzia crucea	13	29	121	hA	o.	1½	7-8	...	3
433	californica	y.	3
434	compacta	1	3
435	Eucharidium concinnum	8	25	120	...	pur.	3
436	grandiflorum	ro.	3
437	Euphorbia variegata	11	28	91	hhA	v. lf.	...	8-9	...	6
438	Eutœa divaricata	5	25	99	hA	li.	...	7-8	...	3
439	Manglesi	3
440	multiflora	lav.	3
441	viscida	b.	3
442	Wrangeliæna	li.	3
443	— — —	div.	1 0
444	Férula tingitana	...	26	148	hB	y.	6	6-7	...	6
445	Francœa appendiculata	8	29	93	...	pk.	2	7-8	...	3
446	Fritillaria imperialis	6	25	105	hPb	div.	...	4-6	...	6
447	melœgris	1	5-6	...	6
448	Fuchsia	8	...	120	gS	...	div.	6-9	...	1 0
449	Galœa orientalis	17	41	94	hP	b.	3	6-8	...	3
450	Gaillardia bicolor	19	55	81	hP†	y & br	1½	7-9	...	3
451	pecta Drummondii	y & sc	6
452	— coccinea	sc.	6
453	— fistulosa	y & sc	6
454	— nana	s & y	1	6
455	— Wellsiana	var.	1½	6
456	Richardsoni	o.	3

A — indicates a variety. () That the word is not literally translated, or is superadded.

No.		Cl.	O.	N.O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
		L.	Li.				feet		s. d.
457	Gaillardia	Nos. 450 to 456	19	55	81	hP+	div.	1½	7 9
458	Gardënia Thunbergii	Thunberg's	5	25	77	gS	w.	6	3-7
459	Rothmannia	Rathmann's	l. y.	8	6-8	1 0
460	Gazania rigens	stiff	19	55	81	...	y.	1	5-9
461	Genista	fine species	16	45	104	2	7-8
462	Gentiana acaulis	stemless	5	26	95	hP+	b.	¾	4-7
463	Amarella	Amarella	hA	pur.	...	7-8
464	ernciata	crossed	hP+	b.	1	6-7
465	hy'brida	hybrid	y & p	2½	...	6
466	lutea	yellow	hP	y.	...	7-8
467	macrophylla	long-leaved	b.	1	...
468	— — —	Nos. 462 to 467	div.	div.	div.	2 6
469	Geranium	hardy mixed	16	42	96	hP	...	1½	6-8
470	Gesnera	finest mixed, 10 var.	14	59	97	sSb	...	2	...
471	Gëum coccineum	scarlet	12	35	133	hP+	se.	...	6
472	— atrosanguineum	dark blood-colour	d. se.	6
473	— splendens fl. pl.	splendid double	se.	...	6
474	— superbum	superb (new)	6
475	— — —	Nas. 471 to 474	1 6
476	Gilia achilleæfolia	Milfail-leaved	5	25	125	hA	b.	1½	6-7
477	capitata	headed, 2 var.	b & w	3
478	nivalis*	(snow-white)	w.	1	...	3
479	tricolor*	three-coloured	3 col.	3
480	— albo-cœlestis*	white and blue	w & b	3
481	— splendens*	splendid	ro.	3
482	— — —	Nas. 476 to 481	div.	1 3
483	Gladiolus v. Herbertianus	(splendid mixed)	3	...	101	fPb	...	2	7-9
484	hy'bridus coccineus	scarlet	se.	1½	...
485	Gloxinia	finest mixed	14	59	97	sSb	div.	...	6-9
486	Gly'cine incarnata	flesh-coloured	17	45	104	yS	fl.	6	7-8
487	Gnaphalium grandiflorum	large-flowered	19	54	81	...	w.	3	6-8
488	modestum	modest	r.	1	7-9
489	Gnidia pinifolia	pine-leaved	8	25	144	...	ly.	2	5-7
490	Godetia (Gœnothëra)	(finest mixed)	120	hA	div.	1¼	7-8
491	bifrons	(two-franted)	l. pu.	3
492	insignis	remarkable	spot.	3
493	Lehmannii	Lehmann's	var.	3
494	lépida	pleasing	li.	3
495	Lindleyana	Lindley's	l. p.	3
496	purpurea	purple	pur.	3
497	quadri-vulnera	four-spotted	spot.	3
498	Romanzovii	Romanzov's	pur.	3
499	rosco-alba	rose and white	ro & w	3
500	rubicunda	blushing	c. pu.	3
501	tenuifolia	slender-leaved	v.	3
502	vininea	twiggy	li.	3
503	vinosa	(wine-coloured)	clar.	1	...	3
504	Willdenovii	Willdenow's	div.	3
505	— — —	Nos. 491 to 504	3 0
506	Goodia lotifolia	Lotus-leaved	16	45	104	yS	y.	3	6-7
507	pubescens	hairy	6
508	Grammanthes gentianoides	Gentian-like	5	26	83	hhA	...	½	7-8
509	Griëum tenuifolium	slender-leaved	10	30	133	gP	...	2	5-6
510	Gypsophila elegans	elegant	...	26	140	hA	w & p	¾	7-8
511	Hebenstreitia sp. fragrans	fragrant	14	59	150	hhA	w.	1	...
512	Hedy'chium Gardnerianum	Gardner's	5	25	136	sS	y.	6	6-9
513	Hedy'sarum canadense	Canadian	17	45	104	hP+	pur.	...	7-8
514	Helëniun Douglassii	Douglas's	19	54	81	hA	y.	2	...
515	Helianthemum guttatum	spotted	13	25	78	½	...
516	apenninum	Apennine	hP	w.	...	5-7
517	grandiflorum	large-flowered	y.	1	6-7

<i>A— indicates a variety. () That the word is not literally translated, or is superadded.</i>		Cl.	L.	O.	N.	O.	H.	Dur.	Col.	of Fl.	Hght.	M. of	Flow.	Price.
No.											feet			s. d.
578	<i>Ipomopsis</i>	<i>fine mixed</i>	5	25	125	fB†	o & s				2½	7-8	1 0	
579	<i>Iris xiphioides</i>	<i>(splendid English)</i>	3	...	101	hPb	div.				1½	...	6	
580	<i>Isotoma axillaris</i>	<i>axillary</i>	5	...	109	gP†	b.				...	6-8	6	
581	<i>Ixia</i>	<i>finest mixed</i>	3	...	101	fPb	div.				1	5-6	6	
582	<i>Jasminum fruticans</i>	<i>shrubby</i>	2	...	102	hS	y.				3	5-9	6	
583	<i>Justitia speciosa</i>	<i>showy</i>	62	sS	pur.				4	8-9	6	
584	<i>Kanfussia amelloides*</i>	<i>Amellus</i>	19	54	81	hA	b.				¾	7-8	3	
585	<i>Kennèdya Marryattæ**</i>	<i>Marryatt's</i>	17	45	104	gS	se.				10	5-8	1 0	
586	<i>Comptoniana**</i>	<i>Compton's</i>	b.				6	
587	<i>monophylla**</i>	<i>single-leaved</i>	6	
588	<i>rubicunda**</i>	<i>blushing</i>	bh.				6	
589	<i>— grandiflora**</i>	<i>— large-flowered</i>	1 0	
590	<i>— — —</i>	<i>Nos. 585 to 589</i>	div.				3 0	
591	<i>— — —</i>	<i>finest mixed</i>	1 0	
592	<i>Lantana Selloviana</i>	<i>Sellow's</i>	14	59	150	hP†	r.				1	7-8	6	
593	<i>Lasthènia californica*</i>	<i>Californian</i>	19	54	81	hA	y.				¾	...	3	
594	<i>glabrata*</i>	<i>glabrous</i>	3	
595	<i>Láthyrus azureus major</i>	<i>large blue</i>	17	45	104	...	b.				2	...	3	
596	<i>latifolius**</i>	<i>(Everlasting Pea)</i>	hP†	r.				8	...	3	
597	<i>— albus**</i>	<i>white do.</i>	w.				3	
598	<i>— purpureus**</i>	<i>purple do.</i>	p.				6	
599	<i>rotundifolius</i>	<i>round-leaved, extra</i>				1½	...	6	
600	<i>speciosus</i>	<i>showy</i>	er.				2	...	3	
601	<i>— — —</i>	<i>Nos. 595 to 600</i>	div.				2 0	
602	<i>Lawsônia inermis</i>	<i>(Tree-Mignonette)</i>	8	25	110	sS	w.				8	6-8	6	
603	<i>Leptosiphon deusiflorus</i>	<i>thick-flowered</i>	5	...	125	hA	p.				¾	7-8	3	
604	<i>androsæcus</i>	<i>Androsace-like</i>	li & w				1	...	3	
605	<i>— albus</i>	<i>white</i>	w.				3	
606	<i>— lilæinus</i>	<i>lilac</i>	li.				3	
607	<i>— — —</i>	<i>Nos. 603 to 606</i>	div.				1 0	
608	<i>Leucadendron argenteum</i>	<i>(Silver Tree)</i>	22	39	130	gS	y.				12	8-9	1 0	
609	<i>plumosum</i>	<i>feathered</i>				4	7-8	6	
610	<i>— — —</i>	<i>A fine sp. mixed</i>	1 0	
611	<i>Leucospermum tottum</i>	<i>Hottentot</i>	4	25				3	...	1 0	
612	<i>hypophyllum</i>	<i>under-leaved</i>				3	...	1 0	
613	<i>— — —</i>	<i>6 fine sp. mixed</i>				3	...	1 0	
614	<i>Leyeestèria formosa</i>	<i>beautiful</i>	5	...	76	hP†	w & p				1½	...	6	
615	<i>Leyssèra gnaphaloides</i>	<i>Gnaphalium-like</i>	19	54	81	gS	o.				2	7-9	6	
616	<i>Liatris heterophylla</i>	<i>various-leaved</i>	...	53	...	hP	pur.				3	7-8	6	
617	<i>Limnanthes Douglasii</i>	<i>Douglas's</i>	10	25	106	hA	w & y				¾	...	3	
618	<i>grandiflora</i>	<i>large-flowered</i>				1	...	3	
619	<i>Linària alpina</i>	<i>Alpine (2 var.)</i>	14	59	137	fP†	b & y				...	6-9	6	
620	<i>spartea</i>	<i>Spartan</i>	hA	y.				...	7-8	3	
621	<i>speciosa</i>	<i>showy</i>	p & y				3	
622	<i>triornithóphora</i>	<i>3 birds bearing</i>	fP†	pur.				3	
623	<i>versicolor</i>	<i>various-coloured</i>	hA	y & p				3	
624	<i>— — —</i>	<i>6 sp. separate</i>	A & P	div.				1 6	
625	<i>Linum austriacum</i>	<i>Austrian</i>	5	30	107	hP†	b.				3	
626	<i>grandiflorum</i>	<i>large-flowered</i>	3	
627	<i>— album</i>	<i>white</i>	w.				3	
628	<i>perenne</i>	<i>perennial</i>	b.				2	6-7	3	
629	<i>Lipària</i>	<i>3 sp. Cape</i>	gS	o & y				3	6-8	1 0	
630	<i>Lisianthus Russellianus</i>	<i>Duke of Bedford's</i>	...	25	95	gA	pur.				...	7-9	6	
631	<i>Loàsa aurantiaca**</i>	<i>orange</i>	18	48	108	hP†	o.				8	7-8	3	
632	<i>Herberti**</i>	<i>Herbert's</i>	3	
633	<i>Pentlandica**</i>	<i>Pentland's</i>	d. o.				6	
634	<i>— — —</i>	<i>finest mixed</i>	o.				6	
635	<i>tricolor</i>	<i>three-coloured</i>	3col.				2	...	3	
636	<i>— — —</i>	<i>Nos. 631 to 635</i>	hA	div.				2½	...	1 6	
637	<i>Lobèlia azurea*</i>	<i>azure</i>	5	25	109	hP†	az.				½	6-8	6	

A — indicates a variety. () That the word is not literally translated, or is superadded.

No.		Cl.	L.	O.	N.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
								feet		s. d.
638	Lobelia decumbens	reclining	5	25	109	hhP†	b.	$\frac{1}{2}$	6-8	6
639	— erinoides	Erinus-like	l. b.	$\frac{1}{2}$...	3
640	— compacta	compact	6
641	— grandiflora	large-flowered	6
642	gracilis*	slender	hhA	b.	1	...	3
643	— alba*	white	w.	3
644	— rosea*	rose-coloured	ro.	3
645	heterophylla	various-leaved	hhP†	b.	$1\frac{1}{2}$...	6
646	— rosea	(new rose-col.)	ro.	...	1 0	...
647	propinqua	related	pu.	2	6
648	ramosa*	branching	b.	$1\frac{1}{2}$...	6
649	— — —	6 finest varieties	div.	div.	div.	2 6	...
650	cardinalis	(scarlet)	gP	sc.	3	...	6
651	ignea	flame-coloured	l. sc.	6
652	siphilitica	(large blue)	b.	2	...	6
653	Lonigera alpigena	alpine	76	hS	y.	6	5-7	6
654	Lopezia coronata	crown-flowered	1	...	120	hA	r.	$1\frac{1}{2}$	7-8	3
655	racemosa	bunch-flowered	3
656	Lophoclinium hirtum	hairy	19	54	81	hhA	y.	6
657	Lophospermum scandens**	climbing	14	59	137	gS†	ro.	8	7-9	6
658	— grandiflorum**	large-flowered	1 0	...
659	— Hendersoni**	Henderson's	spot.	6
660	— spectabile**	showy	d. ro.	6
661	Rhodochiton**	Rhodochiton	pur.	6
662	— — —	Nos. 657 to 661	div.	...	2 6	...
663	— — —	finest mixed	6
664	Lötus jacobaeus	St. James' Island	17	45	104	gA	d. br.	1	7-8	6
665	Lupinus bicolor	two-coloured	16	hA	b & w	3
666	Hartwegii	Hartweg's	b & pk	$1\frac{1}{2}$...	3
667	leptophyllus	slender-leaved	b & c	2	...	3
668	mexicanus	Mexican	b.	3
669	micanthus*	small-flowered	pur.	$1\frac{1}{2}$...	3
670	mutabilis	variable	var.	2	...	3
671	— Cruikshanksii	Cruikshanks'	b & y	3
672	nanus*	dwarf	va. b.	1	...	3
673	pulchellus	pretty	b & pu	2	...	3
674	— — —	Nos. 665 to 673	div.	div.	2 0	...
675	arbutus pl. var.	tree-like mixed	hP†	...	6	...	6
676	elegans	elegant	v & ro	2	...	6
677	grandifolius	large-leaved	pur.	$2\frac{1}{2}$...	3
678	lepidus	pleasing	b & pk	$1\frac{1}{2}$...	6
679	leucophyllus	white-leaved	pk.	2	...	6
680	Marshallianus	Marshal's (mixed)	div.	6
681	ornatus	ornamented	b & ro	6
682	polyphyllus	many-flowered	b.	3	...	3
683	— albus	white	w.	3
684	— speciosus	showy	div.	3
685	— — —	Nos. 675 to 684	div.	...	3 6	...
686	— — —	extra fine mixed	6
687	Lusania calycina	large-calyx red	14	59	137	...	w.	1	...	3
688	Lychnis corsica	Corsican	10	31	140	...	r.	3
689	chalcédónica	(scarlet)	sc.	2	...	3
690	— alba	white	w.	3
691	Flos-Jovis	Jove's Flower	r.	$1\frac{1}{2}$...	3
692	fulgens	glowing	fP	sc.	1	...	6
693	Lythrum roseum superbum	superb rosy	11	25	110	hhP	ro.	$1\frac{1}{2}$...	6
694	Madia elegans	elegant	19	54	81	hA	y.	3	...	3
695	Magnolia grandiflora	large-flowered	13	35	111	hT	w.	15	7-9	6
696	Málope trifida	thrice-cut	16	48	112	hA	r.	2	7-8	3
697	— alba	white	w.	3

A — indicates a variety. () That the word is not literally translated, or is superadded.			L.	Cl.	L.	O.	N.	O.	H.	N.	Dur.	Col.	of Fl.	Hght.	M. of	Flow.	Price.
No.														feet			s. d.
698	Málope grandiflora	large-flowered	16	48	112	hA	r.	2	7-8								3
699	— purpurea	purple	pur.						3
700	Malva fragrans	fragrant	gS	sc.	3	6-8							6
701	chineusis	Chinese, 2 var.	hA	s & w	2	7-8							3
702	mauritiána zebrína	(striped)	stri.						3
703	miniata	vermilion	hhS	r.						3
704	moschata	musk-scented	hP†	w.						3
705	Mandevilla suaveolens**	fragrant	5	25	65	sS	...	12	6-9	1	0						0
706	Marty'nia angularis	angular	14	59	139	hhA	r.	2½	7-8								6
707	craniolaria	skull-like	w.						6
708	fragrans formosa	beautiful	er.						6
709	lutea	yellow	y.						6
710	— — —	Nos. 705 to 709	div.						1
711	Maurandya antirrhiniflora	snapdragon-flwd.**	137	gS	pur.	10	4-9								6
712	Barclayana**	Barclay's	b & w						6
713	— albiflora**	white	w.						6
714	— atropurpurea**	dark purple	d. pu.						1
715	— rosea superba**	superb rose	ro.						6
716	semperflorens**	ever-flowering	l. pu.						6
717	— — —	Nos. 711 to 716	div.						3
718	— — —	finest mixed**						1
719	Mecconopsis cambrica	(Welch Poppy)	13	25	121	hP†	y.	1	5-8								3
720	Melianthus coccineus	scarlet	4	...	152	gS	se.	4	6-8	1	0						6
721	Mesembryanthemum glabrum	smooth	12	27	92	hhA	y.	¾	7-8								6
722	pomcridianum	afternoon						6
723	tricolor (pyropæum)	(red)	r.	½						6
724	— album	white	w.						6
725	— — —	Nos. 721 to 724	div.	div.						1
726	Mimosa marginata**	margined	23	51	104	gS	pur.	3	6-8								6
727	leucocéphala	white-headed	w.	4						6
728	Mimulus cardinalis	scarlet	14	59	137	hhP†	se.	1½						3
729	— atrosanguineus	dark blood-red	r.						6
730	— erocus	saffron	saf.						6
731	— — —	Nos. 728 to 730	div.						1
732	moschatus	musk	y.	1						6
733	speciosus	showy	var.						3
734	— — —	splendid new m.	div.						1
735	— — —	fine mixed						6
736	Momordica balsamina**	(Balsam Apple)	21	49	85	fA	y.	6	7-8								6
737	Charantia**	Charantia						6
738	Morina elegans	elegant	2	25	87	hhP	w & r	3	...	1	0						6
739	longiflora	long-flowered	pur.						6
740	Moschæria pinnatifida	pinnatifid	19	53	81	hA	y.						6
741	Muraltia Heisteria	Heister's	17	43	126	gS	pur.	½	5-7								6
742	Myosotis palustris	(Forget-me-not)	5	25	72	hP†	b & y.	1	6-8								6
743	alpestris	Alpine do.	b.	½						6
744	pedunculæris	pedunculated do.	hA	...	7-8								6
745	Narcissus	fine mixed	6	...	64	hPb	w & y	1	5-6								3
746	Nemësia floribunda	bunch-flowered	14	59	137	hhA	...	½	7-8								6
747	Nemóphila aurita	ear-like (leaved)	5	25	99	hA	pur.	1½	6-8								3
748	atomaria*	dotted	w.sp	¾						3
749	— celestis*	sky-blue do.	b.sp.						3
750	discoïdalis*	(bordered)	blk.						3
751	insignis*	beautiful	b.						3
752	— alba*	white	w.						3
753	— grandiflora*	large-flowered	b.						3
754	— striata*	striped	stri.						3
755	maculata	spotted (new, extra)	spot.						1
756	phaeclïoides	Phacelia-like	hP†	v.						6
757	— — —	Nos. 747 to 756	A & P	div.						3

A — indicates a variety. () That the word is not literally translated, or is superadded.

No.		L.	O.	N.	O.	H.	Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
758	Nepeta macrantha	long-flowered	14	58	103	hP			feet	s. d.	
759	Niebulria trifoliata	three-leaved	13	25	75	gS	w.	b.	6	6-9	6
760	Nicotiana glauca	dwarf	5	...	141	hA	1	7-8	3
761	— — —	4 fine species	div.	2	...	1	0
762	Nigella hispanica*	Spanish	13	30	131	...	b.	1	3
763	— flore-pleno*	double-flowered	3
764	Nolana atriplicifolia	Atriplex-leaved	5	25	141	...	b w y	3
765	paradoxa	paradoxical	b.	trai	3
766	prostrata	(trailing)	3
767	tenella	slender	3
768	Nonea rosea	rose-coloured	72	...	ro.	1½	3
769	Nycteria capensis	Cape	14	59	137	hP†	w.	6
770	Nymphaea alba	white (aquatic)	13	25	119	hP	...	trai	6-9	6	6
771	caerulea	blue (da.)	sP	b.	1	0
772	Euothera acaulis	stemless	8	...	120	hP†	w.	...	7-8	3	3
773	biennis	biennial	hB†	y.	2	3
774	concinna	neat	hA	p&w	½	3
775	Drummondii	Drummond's	hhP†	y.	1	6
776	densiflora	thick-flowered	hA	pur.	½	3
777	longiflora	long-flowered	hB†	y.	2	3
778	macrocarpa	long-fruited, extra	hP†	6
779	odorata	odorous	hB†	3
780	rosea	rose-coloured	ro.	½	6-7	3	3
781	Scellowii	Scellow's	1	7-8	3	3
782	speciosa	showy	hhA	w.	1½	6
783	taraxacifolia	Taraxacum-flowered	hP†	...	½	6
784	tetraptera	four-winged	hA	...	1	3
785	— — —	6 finest sorts	div.	div.	div.	...	3	6
786	— — —	finest mixed	6
787	Oenothera rotundifolia	round-leaved	16	45	104	hS	r.	3	6
788	Orobanchia Fischeri	Fischer's	17	sc.	1½	5-6	3	3
789	Oxalis rosea	rose-coloured	10	30	153	hPb	ro.	1	6-8	6	6
790	Oxyria chrysanthemoides	Chrysanthemum-like	19	54	81	hA	y&w	...	7-8	3	3
791	Paeonia	finest mixed	13	26	131	hPb	div.	2	6-9	6	6
792	Palavia moschata	musk-scented	16	48	112	hA	pur.	1	7-8	3	3
793	Papaver croceum	saffron	13	25	121	hP†	or.	1½	3
794	nudicaule	naked-stalked	ycl.	2	3
795	orientale	oriental	r.	3
796	pulcherrimum	most beautiful	sc.	6
797	spectabile	showy	6
798	— — —	Nos. 793 to 797	div.	1	6
799	Passiflora alba**	white	16	40	122	gS	w.	20	6-9	6	6
800	caerulea**	blue-flowered	hS	b.	1	5-7	6	6
801	edulis**	edible	sS	w.	6
802	lutea**	yellow	y.	6	6
803	pedata**	pedated	w&g	15	6
804	Roddiiana**	Raddi's?	6
805	— — —	finest mixed	div.	1	0
806	Patersonia glauca	sea-green	...	38	101	gP	b.	1	5-7	6	6
807	Pandownia imperialis	imperial	14	59	137	hT	li.	30	6-9	6	6
808	Pelargonium	finest mixed	16	42	96	gS	div.	3	...	1	0
809	— — —	large packet	2	6
810	— — —	new fancy var.	1	0
811	— — —	scarlet, 6 var.	sc.	6
812	— — —	Tom Thumb	1	6
813	— — —	Nos. 809 to 813	div.	1&3	...	4	0
814	4 sp. ex. C. B. S.	4 fine species, Cape	gPb	...	1½	...	1	0
815	Pentstemon phoenicea	(scarlet)	...	45	143	sP†	sc.	2	7-8	6	6
816	Pentstemon digitalis	(Digitalis-like)	14	59	137	hP†	w.	3
817	atropurpureum	dark purple	d. pu	3

<i>A — indicates a variety. () That the word is not literally translated, or is superadded.</i>		Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.	
No.							feet		s. d.	
818	<i>Pentstemon campanulatum</i>	(bell-flowered)	14	59	137	hP+	b.	2	7-8	3
819	— album	white	w.	3
820	<i>Chandleri</i>	Chandler's	var.	3
821	<i>gentianoides</i>	Gentian-like	r.	3
822	— albidiflorum	white-flowered	w.	6
823	— coccineum	scarlet	sc.	3
824	— elegans	elegant	l. sc.	6
825	<i>Mackayianum</i>	Maekay's	pu & y	3
826	<i>Marshallii</i>	Marshall's	sc.	6
827	<i>ovatum</i>	ovate (leaved)	b.	3
828	<i>pulchellum</i>	pretty, m.	div.	3
829	<i>rosem</i>	rose-coloured	ro.	3
830	<i>Sheppardii</i>	Sheppard's	d. s.	6
831	<i>speciosum</i>	showy	b.	6
832	— — —	10 finest sorts	div.	3	6
833	— — —	finest mixed	6
834	<i>Petunia phoenicea</i>	purple	5	25	141	hhP+	pur.	2½	6-9	3
835	— alba major	large white	w.	6
836	— Blockii	Block's	6
837	— grandiflora	large-flowered	pur.	3
838	— — rosea	— rose	ro.	6
839	— — striata	— striped	stri.	6
840	— violacea	violet	v.	3
841	— — formosa	(Beauty)	d. pu	6
842	<i>nyctaginiiflora</i>	(sweet-scented)	w.	3
843	— — —	Nos. 834 to 842	div.	3	0
844	— — —	6 finest varieties	2	0
845	— — —	finest mixed	6
846	<i>Phacelia conspicua</i>	conspicuous	99	hA	b.	2	7-8	3
847	<i>tanacetifolia</i>	tansy-leaved	3
848	<i>Phacelus Caracalla**</i>	Caracalla	17	45	104	sS	li.	...	7-9	6
849	<i>Phloxis Russelliana</i>	Russell's	14	58	103	hP	bff.	...	7-8	6
850	<i>Phlox Drummondii</i> , 20 var.	Drummond's	5	25	125	hhA	div.	1½	7-9	6
851	— alba	white	w.	6
852	— coccinea	scarlet	sc.	6
853	— kermesina	erimson	cr.	6
854	— Leopoldiniæ	Leopoldina's	var.	6
855	— oculata	(white-eyed)	div.	6
856	— — —	Nos. 850 to 855	2	6
857	pl. sp. perennans	mixed perennial	hP+	6
858	<i>Physolobium gracile**</i>	slender	10	...	104	gS	cr.	6	6-8	6
859	<i>Phytolacca icosandra</i>	icosandrous	...	33	155	sP	w.	3	7-8	6
860	<i>Pimæla spectabilis</i>	showy	2	25	144	gS	w & r	6
861	<i>Pittosporum viridiflorum</i>	green-flowered	5	...	123	...	gr.	6	5-6	6
862	<i>Platylobium triangulare</i>	triangular	16	45	104	...	o.	4	6-9	6
863	<i>Platystemon californicus</i>	Californian	13	25	121	hA	y.	½	7-8	6
864	<i>Podolepis chrysantha*</i>	yellow-flowered	19	54	81	hhA	6
865	<i>gracilis*</i>	slender	ro & w	3
866	<i>Poinciana Gilliesii</i>	Gillies's	10	25	104	sS	y.	6	6-9	1 0
867	<i>pulcherrima</i>	most beautiful	r & y	8	...	1 0	
868	<i>Polygala cordifolia</i>	heart-leaved	17	43	126	gS	pur.	2	5-7	6
869	<i>myrtifolia</i>	myrtle-leaved	3	5-8	6
870	<i>speciosa</i>	showy	6	6
871	— — —	fine mixed	div.	6
872	<i>Portulaca grandiflora</i>	large-flowered	11	25	128	hhA	cr & w	½	7-8	6
873	<i>splendens</i>	splendid	6
874	<i>Thellusoni</i>	Thelluson's	sc.	6
875	<i>Thorburni</i>	Thorburn's	y.	6
876	— striatiflora	striped-flowered	w & cr	6
877	— — —	Nos. 872 to 876	div.	2	0

<i>A — indicates a variety. () That the word is not literally translated, or is superadded.</i>		L.	C.	L.	N.	O.	H.	& Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.										feet		s. d.
878	Portulaca	<i>finest mixed</i>	11	25	128	hhA	div.	1	div.	1	7-8	6
879	Potentilla formosa*	<i>beautiful</i>	12	35	133	hP†	pur.	1	pur.	1	...	3
880	atrosanguinea*	<i>dark red</i>	d. r.	...	d. r.	3
881	colorata	<i>coloured</i>	y.	...	y.	3
882	Hopwoodiana	<i>Hopwood's</i>	var.	...	var.	3
883	insignis	<i>showy</i>	y.	...	y.	6
884	Mackayana	<i>Mackay's</i>	y&pk	...	y&pk	3
885	— — —	<i>Nos. 879 to 884</i>	div.	...	div.	1 6
886	— — —	<i>fine mixed</i>	6
887	Prænanthes purpurea	<i>purple</i>	19	53	81	hP	pur.	4	pur.	4	...	3
888	Primula cortusoides	<i>(Primrose Cortusa)</i>	5	25	129	fP†	...	1	...	1	5-7	6
889	sincensis (prænitens)	<i>— Chinese</i>	ro.	1	ro.	1	...	6
890	— alba fimbriata	<i>— fringed white</i>	w.	...	w.	...	1 0	...
891	— purpurea nova	<i>— new purple</i>	pur.	...	pur.	...	1 0	...
892	— — —	<i>finest mixed</i>	div.	...	div.	...	1 0	...
893	— — —	<i>Nos. 888 to 892</i>	3 6	...
894	Prætea	<i>finest mixed</i>	4	...	130	gS	div.	div.	div.	div.	1 0	...
895	Ramonda pyrenæica	<i>Pyrenean</i>	5	...	141	hhP†	pur.	1	pur.	1	6-8	6
896	Ranunculus asiaticus	<i>Asiatic</i>	13	35	131	hPb	div.	1	div.	1	1 0	...
897	Rhexia virginica	<i>Virginian</i>	8	25	154	fP	pur.	1	pur.	1	...	6
898	Rhodanthe Manglèsii*	<i>Manyles'</i>	19	54	81	hhA	ro.	1	ro.	1	7-8	6
899	Rhododendron	<i>finest mixed</i>	10	25	89	hS	div.	div.	div.	div.	5-7	1 0
900	Robinia spectabilis	<i>showy</i>	17	45	104	hT	w.	20	w.	20	6-7	6
901	Rudbeckia amplexifolia	<i>leaf-clasping</i>	19	55	81	hA	y.	2	y.	2	7-8	3
902	bicolor	<i>two-coloured</i>	hP†	r&w	...	r&w	6
903	Drummondii	<i>Drummond's</i>	o.	...	o.	6
904	— — —	<i>Nos. 901 to 903</i>	A&P	div.	...	div.	...	1 0	...
905	Sabbatia speciosa	<i>showy</i>	5	25	95	hB	r.	1	r.	1	...	6
906	Salpiglossis Barclayana	<i>Barclay's</i>	14	59	141	hhA	y&br	1½	y&br	1½	7-9	6
907	— atropurpurea	<i>dark-purple</i>	d. pu	...	d. pu	6
908	— grandiflora	<i>large-flowered</i>	var.	...	var.	6
909	— picta	<i>painted</i>	6
910	— splendens	<i>splendid</i>	y.	...	y.	...	1 0	...
911	— straminea	<i>straw-coloured</i>	stra.	...	stra.	6
912	— — —	<i>Nos. 906 to 911</i>	div.	...	div.	...	2 6	...
913	— — —	<i>splendid mixed</i>	6
914	Salvia africana	<i>African</i>	2	25	103	gS	v.	2	v.	2	...	6
915	aurea	<i>golden</i>	y.	3	y.	3	...	6
916	azurea	<i>azure</i>	hP†	b.	6	b.	6	...	6
917	coccinea	<i>scarlet</i>	hhP†	sc.	2	sc.	2	...	6
918	— superba	<i>superb</i>	1½	...	1½	1 0	...
919	latifolia	<i>broad-leaved</i>	2	...	2	...	3
920	limbata	<i>bordered</i>	bor.	...	bor.	3
921	pædens	<i>spreading (splendid)</i>	b.	5	b.	5	...	6
922	pendula	<i>pendulous</i>	hP	y.	2	y.	2	...	3
923	Sanvitalia procumbens	<i>procumbent</i>	19	54	81	hhA	y.	tra	y.	tra	7-8	6
924	Saponaria calabrica*	<i>Catabrian</i>	10	26	140	hA	red	1	red	1	6-9	6
925	Saussurea pulchella	<i>pretty</i>	19	53	81	hP†	pur.	2	pur.	2	7-8	6
926	Scabiosa amœna	<i>pleasing</i>	4	25	87	3
927	caucæsa	<i>Caucasian</i>	b.	...	b.	3
928	Schistanthe peduncularis	<i>pedunculated</i>	6
929	Schizanthus Grahami	<i>Graham's</i>	14	59	137	fB†	sc&o	2	sc&o	2	7-8	6
930	Hookeri	<i>Hooker's</i>	var.	...	var.	6
931	retusus	<i>blunted (leaved)</i>	r&o	...	r&o	6
932	— albus	<i>white (new extra)</i>	w&y	...	w&y	...	1 0	...
933	— — —	<i>Nos. 929 to 932</i>	div.	...	div.	...	2 0	...
934	pinnatus	<i>winged</i>	hA	l.p.y.	1½	l.p.y.	1½	...	3
935	— porrigens	<i>spreading</i>	var.	...	var.	3
936	— Priestii	<i>Priest's</i>	w.	...	w.	3
937	— venustus	<i>beautiful</i>	dark	...	dark	3

<i>A — indicates a variety. () That the word is not literally translated, or is superadded.</i>			Cl.	O.	N.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.			L.	O.	N.	H. & Dur.	Col. of Fl.	feet	s. d.	
938	Schizanthus humilis	dwarf	14	59	137	hA	li & cr	1	7-8	3
939	pulehellus	pretty	w & pu	1½	...	3
940	— — —	Nos. 934 to 939	div.	div.	...	1 6
941	— — —	fine mixed	6
942	Schizopetalon Walkeri*	Walker's	15	61	84	hhA	w.	1	...	6
943	Scilla	fine mixed	6	25	105	hPb	w&b	...	4-8	6
944	Schötia speciosa	showy	10	...	104	sS	cr.	6	7-10	1
945	Scutellaria macrantha	long-flowered	14	58	103	hP+	b.	¾	6-7	6
946	Scyphanthus elegans**	elegant	18	48	108	gP+	y.	6	7-8	6
947	Sebæa aurea	golden	4	25	95	hhA	...	½	...	6
948	Sedum cæruleum	blue	10	30	83	hA	b.	¼	...	6
949	Selago spicata	spiked	14	59	156	gS	pur.	...	7-9	6
950	Silene acaulis	stemless	10	28	140	hB+	ro.	¾	7-8	3
951	compacta	compact	pk.	1	...	3
952	fimbriata	fringed	hP	w.	1½	...	3
953	ornata	ornamented	hB+	pur.	1	...	6
954	pendula*	pendulous	hA	ro.	3
955	regia	royal	hP+	cr.	3
956	— — —	Nos. 950 to 955	div.	div.	...	1	6
957	Solanum macranthum	long-flowered	5	25	141	gS	pur.	3	8-9	6
958	giganteum	gigantic	gT	vio.	...	6-8	6
959	Sollya heterophylla**	various-leaved	104	gS	b.	8	6-9	6
960	Sparaxis	finest mixed	3	...	101	fPb	div.	1	5-6	6
961	Sphæogyne speciosa	showy	19	55	81	hhA	y.	...	7-8	3
962	grandiflora	large-flowered	3
963	Spiræa Lindleyana	Lindley's	12	27	133	hS	w.	6	6-7	6
964	Stachys	fine mixed	14	58	103	hP+	div.	1½	7-8	6
965	Statice pseudo-Arméria	(splendid)	5	30	124	...	pk.	1	...	6
966	— — —	A fine sp. mixed	div.	6
967	Stenactis speciosa	showy	19	54	81	...	pur.	2	...	6
968	Stephanotis floribunda	bunch-flowered	5	25	67	sS	w.	10	...	1 0
969	Stèvia purpurea	purple	19	53	81	hP+	pur.	1½	...	3
970	serrata	serrated	flsh.	3
971	Stipa pennata	(Feather Grass)	3	26	98	...	gn.	2	...	6
972	Strelitzia angusta	narrow-leaved	5	25	117	sP	w.	10	5-7	1 0
973	Streptocarpus Rexii	Rex's	2	...	71	gP	b.	½	6-8	6
974	Sutherlandia frutescens	shrubby	17	45	104	fS	sc.	3	7-8	6
975	grandiflora	large-flowered	6
976	Symphandra pendula	pendulous	5	25	78	hB+	w.	1½	...	3
977	Tacsonia pinnatifidula**	pinnate-stipuled	16	40	122	gS	ro.	20	6-9	1 0
978	Tagetes lucida	shining	19	54	81	gP+	y.	1	7-8	6
979	signata*	distinguished	hhA	o.	6
980	Telèkia speciosa	showy	hP+	y.	4	...	3
981	Tephrosia grandiflora	large-flowered	17	45	104	gS	pk.	...	5-9	6
982	Testudinaria elephantipes	Elephant's-foot	22	41	86	...	y.	8	7-9	1 0
983	Tetrathèca verticillata	verticillate	8	25	145	...	pur.	2	7-8	6
984	Thunbergia alata**	winged	2	...	62	sP+	bf&d	6	6-9	6
985	— alba**	— white	w&d	6
986	— aurantiaca**	— orange	o & d	6
987	— Bakeri**	— Baker's	w.	6
988	— sulphurea**	— sulphur (new)	sul.	6
989	— mesoleuca**	— white-eyed	o & w	6
990	— — —	Nos. 984 to 989	div.	div.	...	2	6
991	— — —	fine mixed	1	0
992	grandiflora**	large-flowered	sS	b.	6	...	1 0
993	Tigridia conchiflora	shell-flowered	16	38	101	fPb	y.	1	8-9	6
994	pavonia	Peacock	s & o	6
995	Torènia scabra	rough	14	59	137	gS+	b.	...	6-7	6
996	Tournefortia heliotropioides	Heliotropium-like	5	25	72	hP+	li.	2	5-7	3
997	Trachelium cæruleum	blue	74	hB	b.	...	7-8	3

A — indicates a variety. () That the word is not literally translated, or is superadded.

No.		L.	O.	N.	O.	H. & Dur.	Col. of Fl.	Hght. feet	M. of Flow.	Price.
998	Trichonema rôsea	3	25	101	fPb	ro.	1	6-7	s. d.	6
999	Tropæolum brachyceras**	8	...	146	gPb1	y.	4	7-9		6
1000	Jarrattii grandiflorum	s&y.	1	0
1001	Lobbianum**	o.		6
1002	Moritzianum**	r&y.	1	0
1003	pentaphyllum**	o&y.		6
1004	tricolorum**	3col.		6
1005	peregrinum (canarien-)	hhA	y.	8	...		6
1006	speciosum [sc]**	gPb†	se.	4	...	1	0
1007	Tweedia cærûlea**	5	26	67	fS	b.		6
1008	Verbascum formosum	...	25	141	hP†	y.	2	7-8		3
1009	compactum	hB†	ro.	1	...		6
1010	holothyron	hP	y.	3	...		6
1011	specabile	y&pu		3
1012	Verbena Aubletia	14	59	150	hhB†	pur.	1	6-8		3
1013	— Drummondii	li.		3
1014	geraniæfolia	r.	1½	...		6
1015	pulchella	bl.		3
1016	pulcherrima	d. r.		6
1017	venosa	hhP	ro.	1	...		6
1018	— — —	div.	2	0
1019	— — —	1	0
1020	Veronica candida	2	25	137	...	w.	1½	...		3
1021	Lindleyana	gS†		6
1022	speciosa	pur.	2	...		6
1023	Viscaria cœli-rôsa	10	30	140	hA	flsh.	1	7-8		3
1024	oculata	ro.		3
1025	— alba	w.		3
1026	— nana	ro.	½	...		3
1027	— — —	div.	1&½	...	1	0
1028	Vinea rôsea	5	25	65	sS	ro.	trai	3-9		6
1029	— alba	w.		6
1030	— — —	ro&w		6
1031	Viola odorata	151	hP	pur.	1	5-7		3
1032	Virgilia capensis	10	...	104	gS	pu&w	3	7-9		6
1033	Zinnia elegans	19	54	81	hhA	v.	2	...		6
1034	— alba	w.		6
1035	— aurantiæa	o.		6
1036	— coccinea	se.		6
1037	— — major		6
1038	— flava	y.		6
1039	— kermesina	cr.		6
1040	— niuiata	car.		6
1041	— purpurea	pur.		6
1042	— rôsea	ro.		6
1043	— straminea	stra.		6
1044	— — —	div.		6
1045	— — —		6
1046	Zygophyllum Fabago	10	25	152	hP	o&w	4	6-8		6
1047	Morgsana	gS	y.	3	5-9		6

GREENHOUSE AND STOVE SEEDS, MIXED.

1048 Mixed Greenhouse Seeds, per pkt.	1 0	1050 Mixed Stove Seeds, per pkt.	1 0
1049 Mixed Greenhouse Climbers „	1 0	1051 Mixed Mexican Ferns „	1 0

The following plants are best known by the Popular Names, but as the Scientific Name is also necessary to show the genus to which they belong, it is also given. Such Popular Names as Convolvulus Minor, Flos Adonis, White Candytuft, Columbine, &c., have little or no affinity with the Latin, and are not to be considered as translations.

A — is employed to indicate varieties.			L.	Cl.	L.	O.	N.	O.	H.	Dur.	Col.	of Fl.	Hght.	M. of	Flow.	Price.
No.													feet			s. d.
1052	Aster, Chinese, mixed	<i>Aster chinensis</i> , pl. var.	19	54	81	h	h	A	div.	2	8-10	3				6
1053	German, finest m.	— <i>fistulosus</i> , 20 var.	6
1054	— bordered	— <i>cinctus</i>	6
1055	— dark blue	— <i>atro-cæruleus</i>	d. b.	4
1056	— light blue	— <i>late-cæruleus</i>	l. b.	4
1057	— dark red	— <i>atrorubens</i>	d. r.	4
1058	— rose-coloured	— <i>roseus</i>	ro.	4
1059	— Turkey	— <i>turcicus</i>	r.	4
1060	— striped, mixed	— <i>striatus</i>	div.	6
1061	— white	— <i>albus</i>	w.	4
1062	new Globe	— <i>globularis novus</i>	div.	6
1063	— pyramidal	— <i>pyramidalis novus</i>	6
1064	— dwarf*	— <i>nanus novus</i>	1	6
1065	Nos. 1052 to 1064	— — —	4 0
1066	Auricula, fine Alpine*	<i>Primula Auricula</i>	5	25	129	h	P	6-7	...	6
1067	extra fine prize	— — —	2 6
1068	fine German	— — —	1 0
1069	Balsam, fine double, m.	<i>Balsamina hortensis</i> , fl. pl.	68	t	A	...	2	7-9	6
1070	double crimson	— <i>fl. pl. kermesina</i>	er.	3
1071	— dotted	— <i>punctata</i>	div.	6
1072	— purple	— <i>purpurea</i>	pur.	3
1073	— rose	— <i>rosea</i>	ro.	3
1074	— scarlet	— <i>coccinea</i>	sc.	3
1075	— striped	— <i>striata</i>	div.	6
1076	— three-coloured	— <i>tricolor</i>	3col.	3
1077	Nos. 1069 to 1076	— — —	div.	2 6
1078	new Camellia, u.	— <i>Camelliaeflora</i>	6
1079	6 finest varieties	— — —	2 0
1080	rose-flowered, m.	— <i>roseiflora</i>	6
1081	new dwarf, m.*	— <i>nana nova</i>	1	6
1082	Candytuft, new crim.*	<i>Iberis umbellata nova</i>	15	60	84	h	A	...	er.	...	7-8	3
1083	fragrant*	— <i>odorata</i>	w.	3
1084	purple*	— <i>umbellata</i>	pur.	3
1085	Rocket*	— <i>coronaria</i>	w.	3
1086	rose*	— <i>rosea</i>	ro.	3
1087	white*	— <i>anara</i>	w.	3
1088	4 distinct col.*	— — —	div.	1 0
1089	Canterbury Bell, pnr.	<i>Campanula Medium</i>	5	25	74	h	P	...	b.	2	3
1090	white	— <i>alba</i>	w.	3
1091	double blue	— <i>flora pleno cærulea</i>	b.	6
1092	— white	— <i>alba</i>	w.	6
1093	— lilac	— <i>lilacina</i>	li.	6
1094	Nos. 1089 to 1093	— — —	div.	1 6
1095	Capsicum, 8 fine var.	<i>Capsicum annum</i> , &c.	141	g	A	w.	1½	6-8	6
1096	Carnation & Picotee, m.	<i>Dianthus Caryophyllus</i> pl.	10	26	140	r	P	...	div.	2	2 6
1097	Catchfly, Lobel's, red*	<i>Silene Armeria</i>	h	A	r.	1	7-8	3
1098	white*	— <i>alba</i>	w.	3
1099	Chrysanthemum, m.	<i>Chrysanth. coronarium</i>	19	54	81	y & w	3	3
1100	tricolor	— <i>carinatum</i>	3col.	1	3
1101	new yellow	— <i>flavum novum</i>	y.	3
1102	Clary, red and purple	<i>Salvia Horminum</i>	2	25	103	r & p	3
1103	Cockseomb, dwarf red	<i>Celosia cristata, nana</i>	5	...	63	ta.	pur.	6
1104	dwarf yellow	— <i>lutea nana</i>	y.	6
1105	tall scarlet	— <i>coccinea major</i>	sc.	2	6
1106	tall yellow	— <i>lutea major</i>	y.	6

<i>A — is employed to indicate varieties.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
1107	Coekseomb, m. tall	<i>Celòsia cristàta, m. pl. var.</i>	5	25	63	ta.	div.	2	7-8	6
1108	Columbine, fine mixed	<i>Aquilegia vulgaris, pl. v.</i>	13	30	131	hP†	6-7	3
1109	double striped	— <i>striàta plèna</i>	3
1110	Convolverulus minor*	<i>Convolverulus tricolor</i>	5	25	82	hA	b w y	trai	6-8	3
1111	dark purple*	— <i>atropurpureus</i>	d. pu.	3
1112	new lilac	— <i>lilacinus novus</i>	li.	6
1113	striped*	— <i>striatus</i>	stri.	3
1114	white and yellow	— <i>bicolor</i>	w & y	3
1115	finest mixed*	— — —	div.	6
1116	Nos. 1110 to 1115	— — —	1 6
1117	Convol. major, m.**	<i>Ipomœa purpurea, pl. var.</i>	lhA	...	10	7-9	3
1118	splendid mixed**	— — —	1 0
1119	new crimson**	— <i>kermesina nova</i>	cr.	6
1120	flesh-coloured**	— <i>carnea</i>	flsh.	3
1121	rose-coloured**	— <i>rosea</i>	ro.	3
1122	spotted**	— <i>punctata</i>	spot.	3
1123	striped**	— <i>striata</i>	stri.	3
1124	variegated**	— <i>variegata</i>	var.	3
1125	very dark**	— <i>atroviolacea</i>	d. v.	3
1126	white**	— <i>alba</i>	w.	3
1127	Nos. 1119 to 1126	— — —	div.	2 0
1128	10 German var.**	— — —	2 6
1129	Cowslip, fine mixed.	<i>Primula elatior</i>	129	hP†	...	3	3-6	6
1130	Cyanus, fine mixed	<i>Centaurea Cyanus, m.</i>	19	55	81	hA	...	2	6-9	3
1131	sky-blue	— <i>cælestis</i>	b.	3
1132	Egg Plant, purple	<i>Solanum ovigerum</i>	5	25	141	tA	p. fr.	...	7-8	3
1133	white	<i>leucocarpon</i>	w. fr.	3
1134	— new striped	— <i>striatum novum</i>	st. fr.	6
1135	Flos Adonis	<i>Adonis autumnalis</i>	13	35	131	hA	sc.	1	...	3
1136	Foxglove, 10 s. mixed	<i>Digitalis, pl. sp. et var.</i>	14	59	137	hP	div.	3	...	6
1137	Fraxinella, white	<i>Dictamnus Fraxinella</i>	10	25	134	...	w.	...	7-9	3
1138	red	— <i>ruber</i>	r.	3
1139	French Honeysuckle, r.	<i>Hedysarum coronarium</i>	17	45	104	hB	se.	2	7-8	3
1140	white	— <i>album</i>	w.	3
1141	mixed	— — —	sc & w	3
1142	Globe Amaranthus, p.	<i>Gomphrena globosa</i>	5	25	63	tA	pur.	2½	...	3
1143	4 var. separate	— — —	div.	1 0
1144	Gourd, Bottle, 3 var.	<i>Lagenaria vulgaris</i>	21	49	85	fA	y.	trai	7-9	6
1145	Hercules' Club	— <i>clava-Herculis</i>	6
1146	Mammoth	<i>Cucurbita Pepo</i>	3
1147	orange	— <i>aurantia</i>	3
1148	pear	— <i>ovifera, var.</i>	3
1149	Turban	— <i>var. tiaræformis</i>	3
1150	Nos. 1144 to 1149	— — —	1 6
1151	Hawkweed, red*	<i>Crepis rubra</i>	19	53	81	hA	r.	1	7-8	3
1152	white*	— <i>alba</i>	w.	3
1153	yellow*	<i>Tolpis barbata</i>	y.	3
1154	silvery*	— <i>argentea</i>	sil.	3
1155	Heartsease or Pansy*	<i>Viola tricolor</i>	5	25	151	hP†	div.	...	6-9	6
1156	Hollyhock, Antwerp	<i>Althæa fleifolia</i>	16	48	112	hP	bf.	7	7-9	3
1157	double rose	— <i>rosea</i>	ro.	3
1158	— black	— <i>nigra</i>	blk.	3
1159	— erimson	— <i>kermesina</i>	er.	3
1160	— purple	— <i>purpurea</i>	pur.	3
1161	— red	— <i>rubra</i>	r.	3
1162	— variegated	— <i>variegata</i>	div.	3
1163	— white	— <i>alba</i>	w.	3
1164	— yellow	— <i>flava</i>	y.	3
1165	Nos. 1156 to 1164	— — —	div.	2 0
1166	20 fine var. mixed	— — —	6

<i>A — is employed to indicate varieties.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
1167	Hollyhock, Chinese	<i>Althæa chinensis</i>	16	48	112	hB†	v.	3	7-9	3
1168	— 10 var. sep.	— — —	div.	2 6
1169	— fine mixed	— — —	6
1170	Honesty, purple	<i>Lunaria biennis</i>	15	60	84	...	pur.	...	5-6	3
1171	— white	— alba	w.	2
1172	Horn Poppy, mixed	<i>Glancium, pl. var.</i>	13	25	121	hA	div.	2	7-8	3
1173	violet	<i>Römèria hybrida</i>	v.	3
1174	Ice Plant	<i>Meembryan. crystallinum</i>	12	27	92	hhA	w.	3
1175	Indian Pink, 4 var. s.*	<i>Dianthus chinensis, pl. var.</i>	10	26	140	hB†	div.	1	...	1 6
1176	Jacobæa, double m.	<i>Scandio elegans, fl. pleno</i>	19	54	81	hhA	...	1 1/4	...	6
1177	double crimson	— kermesina	er.	3
1178	— mulberry	— moricolor	br. r.	3
1179	— purple	— purpurea	pur.	3
1180	— red	— rubra	r.	3
1181	— violet	— violacea	v.	3
1182	— white	— alba	w.	3
1183	Nos. 1176 to 1182	— — —	div.	1 6
1184	Larkspur, dw., m., oz. ls.	<i>Delphinium Ajacis humile</i>	13	28	131	hA	...	1	...	3
1185	dwarf, German, m.*	— humile, var.	6
1186	— blue	— celeste	b.	3
1187	— rose	— roseum	r.	3
1188	— white	— album	w.	3
1189	— unique	— bicolor	w & ro	3
1190	tall mixed*	<i>etator, pl. var.</i>	div.	1 1/2	...	3
1191	— German*	— — —	6
1192	— blue	— celestinum	b.	3
1193	— rose	— roseum	ro.	3
1194	— white	— candidum	w.	3
1195	branching, m. Germ.	<i>Consolida, pl. var.</i>	div.	2	...	6
1196	— blue	— cœruleum	b.	3
1197	— rose	— roseum	r.	3
1198	6 new varieties	— — —	div.	1 6
1199	Lavatera, red	<i>Lavatera trimestris</i>	16	48	112	...	r.	3	...	3
1200	white	— alba	w.	3
1201	Love-lies-bleeding	<i>Amaranthus caudatus</i>	21	40	63	...	r.	3
1202	Lupins, mixed	<i>Lupinus, pl. sp. et var.</i>	16	45	104	...	div.	2	...	3
1203	Dutch blue	<i>canaliculatus</i>	b.	3
1204	large blue	<i>hirsutus</i>	3
1205	large rose	<i>pilosus</i>	r.	3
1206	small blue	<i>angustifolius</i>	b.	3
1207	yellow	<i>luteus</i>	y.	1 1/2	...	3
1208	straw-coloured	— stramineus	stra.	3
1209	white	— albus	w.	2	...	3
1210	Marigold, French, m.	<i>Tagetes patula, pl. var.</i>	19	54	81	hhA	div.	1 1/2	...	3
1211	French, dwarf	— humilis	dark	1	...	3
1212	— splendid striped	— striata splendens	y & br	1 1/2	...	6
1213	— tall	— elatior	3
1214	African, mixed	<i>erecta, pl. var.</i>	y & o.	2	...	3
1215	— lemon	— citrina	lem.	3
1216	— orange	— aurantiaca	o.	3
1217	Cape	<i>Calendula pluvialis</i>	...	56	...	hA	w.	1	...	3
1218	hybrid	<i>hybrida</i>	3
1219	double, m.	<i>officinalis, fl. pl.</i>	...	57	o.	3
1220	Nos. 1210 to 1219	— — —	...	div	div.	div.	...	2 6
1221	Marvel of Peru, m.	<i>Mirabilis Jalapa, pl. var.</i>	3	25	118	hP†	...	2	...	3
1222	carmine	— miniata	car.	3
1223	crimson	— kermesina	er.	3
1224	crimson and violet	— violacea	er & v	3
1225	large-flowered	— grandiflora	cit.	3
1226	red	— rubra	r.	3

<i>A — is employed to indicate varieties.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet	s. d.	
1227	Marvel of Peru, r. & br.	<i>Mirabilis J. rubro-cuprea</i>	3	25	119	hPb†	r&co	2	7-8	3
1228	red and white	— <i>rubro-alba</i>	r & w	3
1229	red and yellow	— <i>flava</i>	r & y	3
1230	three-coloured	— <i>tricolor</i>	3col.	3
1231	white	— <i>alba</i>	w.	3
1232	white and red	— <i>albo-rubra</i>	w & r	3
1233	yellow	— <i>lutea</i>	y.	3
1234	yolk-coloured	— <i>vitellina</i>	d. y.	3
1235	long-flowered, swt.	<i>longiflora</i>	w.	3
1236	flat-flowered	<i>planiflora</i>	var.	3
1237	Nos. 1222 to 1236	— — —	div.	...	3 0	...
1238	Mignonette, lb. 8s. oz. 6d.	<i>Reseda odorata</i>	11	28	132	hA	bff.	1	6-9	3
1239	Nasturtium, new dwf.	<i>Tropaeolum minus</i>	8	43	146	...	sc.	...	7-9	3
1240	dwarf	— <i>dubium</i>	o & y	2	...	3
1241	tall	<i>Majus</i>	car.	5	...	3
1242	dark red	— <i>atrosanguineum</i>	d. r.	3
1243	Shilling's	— <i>Shillingii</i>	spot.	3
1244	striped	— <i>striatum</i>	stri.	3
1245	new dark	— <i>atrum novum</i>	dark	3
1246	Nos. 1239 to 1245	— — —	div.	...	1 6	...
1247	mixed	— — —	3
1248	Palma Christi	<i>Ricinus major</i>	21	49	91	hhA	gn.	6	...	3
1249	Pea, Tangier	<i>Lathyrus tingitanus</i>	17	45	104	hA	se.	4	7-8	3
1250	striped	— <i>striatus</i>	stri.	3
1251	Lord Anson's	<i>magellanicus</i>	b.	3
1252	winged	<i>Lotus tetragonolobus</i>	sc.	1	...	3
1253	yellow	— <i>luteus</i>	y.	...	1 0	...
1254	Nos. 1249 to 1253	— — —	div.	div.	...	3
1255	Pea, sweet, m., lb. 2s.	<i>Lathyrus odoratus, pl. var.</i>	4	...	3
1256	black	— <i>niger</i>	blk.	3
1257	painted Lady	— <i>pictus</i>	var.	3
1258	purple	— <i>purpureus</i>	pur.	3
1259	— new large	— <i>major novus</i>	3
1260	scarlet	— <i>coccineus</i>	sc.	3
1261	striped	— <i>striatus</i>	pust.	3
1262	— new	— <i>ruber</i>	r. st.	3
1263	white	— <i>albus</i>	w.	3
1264	Nos. 1256 to 1263	— — —	div.	...	1 6	...
1265	Persicaria, red	<i>Polygonum orientale</i>	8	28	127	...	r.	3
1266	white	— <i>album</i>	w.	3
1267	Polyanthus, finest m.*	<i>Primula elatior polyantha</i>	5	25	129	hP†	div.	$\frac{1}{2}$	5-7	6
1268	Poppy, double, 20 var.	<i>Papaversomniferum fl. pl.</i>	13	...	121	hA	...	2	7-8	3
1269	double black	— <i>plenum nigrum</i>	blk.	3
1270	— Carnation	— <i>Caryophylloides</i>	car.	3
1271	— fringed	— <i>fimbriatum</i>	sc.	3
1272	— lilac	— <i>lilacinum</i>	li.	3
1273	— scarlet	— <i>coccineum</i>	sc.	3
1274	— striped	— <i>striatum</i>	stri.	3
1275	— white	— <i>album</i>	w.	3
1276	double French	<i>Rhæas, flore-pleno</i>	div.	1	...	3
1277	Himalayan	— <i>himalayanum?</i>	red	3
1278	Nos. 1268 to 1277	— — —	div.	1 & 2	...	2 0
1279	Primrose	<i>Primula vulgaris</i>	5	...	129	hP†	y.	$\frac{1}{2}$	5-7	3
1280	Prince's Feather	<i>Amaranthus hypochon-</i>	21	40	63	hA	pur.	2	7-8	3
1281	Quaking Grass*	<i>Briza maxima [driacus]</i>	3	26	98	...	gn.	1	...	3
1282	slender*	— <i>gracilis</i>	3
1283	Rocket, purple	<i>Hesperis matronalis</i>	15	61	84	hP†	pur.	...	5-8	3
1284	sweet	— <i>tristis</i>	w.	3
1285	Scabious, dwarf	<i>Scabiosa nana</i>	4	25	87	hA	div.	...	7-8	3
1286	dark purple	— <i>atropurpurea</i>	hP†	d. pu	2	...	3

<i>A — is employed to indicate varieties.</i>			L.	Cl.	L.	O.	N.	O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.											feet		s. d.
1287	Seabious, splendid m.	<i>Scabiosa splendida, pl. var.</i>	4	25	87	hP†	div.	2	7-8	6			3
1288	starry	<i>stellata</i>	b.	1½	...	3			3
1289	Sensitive Plant	<i>Mimosa sensitiva</i>	23	51	104	fS	pk	2	6-9	6			3
1290	Snapdragon, 20 fine v.	<i>Antirrhinum Majus, pl. v.</i>	14	59	137	hP†	div.	3			0
1291	Stock, 10 week, m.	<i>Mathiola annua, pl. var.</i>	15	61	84	hhA	...	1½	...	3			3
1292	scarlet	— <i>coccinea</i>	se.	3			3
1293	purple	— <i>purpurea</i>	pur.	3			3
1294	white	— <i>alba</i>	w.	3			3
1295	intermediate	— <i>intermedia</i>	se.	1½	8-10	3			3
1296	pyramidal	— <i>pyramidalis</i>	w.	...	6-9	3			3
1297	Stock, German, m.	<i>Mathiola annua var.</i>	div.	1	...	6			3
1298	large packet	— —	1			0
1299	dwarf carmine	— <i>densiflora miniata</i>	ear.	6			6
1300	— dark scarlet	— — <i>atro-coccinea</i>	d.se.	6			6
1301	— crimson	— — <i>kermesina</i>	er.	6			6
1302	— dark crimson	— — <i>atro-rubens</i>	d. r.	6			6
1303	— dark blue	— — <i>atro-cerulea</i>	d. b.	6			6
1304	— lilac	— — <i>lilacina</i>	li.	6			6
1305	— light blue	— — <i>late-cerulea</i>	l. b.	6			6
1306	— mulberry	— — <i>moricolor</i>	br. r.	6			6
1307	— peach	— — <i>persiciflora</i>	pch.	6			6
1308	— rose	— — <i>rosa</i>	ro.	6			6
1309	yellow	— — <i>flavescens</i>	y.	6			6
1310	violet	— — <i>violacea</i>	v.	6			6
1311	white	— — <i>alba</i>	w.	6			6
1312	Nos. 1299 to 1311	— — —	div.	5			0
1313	6 fine varieties	— — —	2			6
1314	new large-flowered	— <i>grandiflora nova</i>	1½	...	6			6
1315	— carmine	— — <i>miniata</i>	ear.	6			6
1316	— dark blue	— — <i>cerulea</i>	d. b.	6			6
1317	— light blue	— — <i>celestis</i>	l. b.	6			6
1318	— rose	— — <i>rosea</i>	ro.	6			6
1319	— white	— — <i>alba</i>	w.	6			6
1320	Nos. 1315 to 1319	— — —	div.	2			0
1321	Stock, Prussian, m.	— <i>græca (cheirifolia)</i>	1	...	3			3
1322	— purple	— — <i>purpurea</i>	pur.	3			3
1323	— rose	— — <i>rosa</i>	ro.	3			3
1324	— scarlet	— — <i>coccinea</i>	se.	3			3
1325	— white	— — <i>alba</i>	w.	3			3
1326	Autumnal, m.	— <i>autumnalis, pl. var.</i>	div.	1½	8-10	6			6
1327	Stock, Brompton, m.	<i>simplicicaulis, pl. var.</i>	hhB	...	3	5-8			6
1328	— purple	— — <i>purpurea</i>	pur.	3			6
1329	— scarlet	— — <i>coccinea</i>	se.	3			3
1330	— white	— — <i>alba</i>	w.	3			3
1331	Queen, mixed Ger.	— <i>incana</i>	div.	2	...	6			6
1332	— purple	— — <i>purpurea</i>	pur.	3			3
1333	— scarlet	— — <i>coccinea</i>	se.	3			3
1334	— white	— — <i>alba</i>	w.	3			3
1335	Imperial, violet	— <i>imperialis</i>	hhP	1½	4-10	6			6
1336	— light blue	— — <i>caelestina</i>	l. b.	6			6
1337	— red	— — <i>rubra</i>	r.	6			6
1338	— rose	— — <i>rosa</i>	ro.	6			6
1339	Nos. 1335 to 1338	— — —	div.	2			0
1340	fine mixed	— — —	6			6
1341	Sunflower, dou. dwarf	<i>Helianthus indicus, fl. pl.</i>	19	55	81	hA	y.	2	7-8	3			6
1342	tall	— <i>annuus, flore-pleno</i>	6	...	3			3
1343	Sweet Alyssum*	<i>Alyssum maritimum</i>	15	60	84	...	w.	½	...	3			3
1344	Sweet Sultan	<i>Centaurea moschata</i>	19	55	81	hhA	p.	2	...	3			3
1345	white	— — <i>alba</i>	w.	3			3
1346	yellow	— — <i>suavcolens</i>	y.	3			3

<i>A — is employed to indicate varieties.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
1347	Sweet Sultan, blush	<i>Centaurea Crocodylium</i>	19	55	81	hhA	blh.	2	7-8	3
1348	Sweet William, striped	<i>Dianthus barb., striatus</i>	10	26	140	hP	div.	1	6-8	6
1349	Venus' Looking Glass*	<i>Prismatocarpus Speculum</i>	5	25	74	hA	b.	$\frac{3}{4}$	7-8	3
1350	rose*	— <i>roseus</i>	ro.	3
1351	white*	— <i>albus</i>	w.	3
1352	mixed*	— — —	div.	3
1353	Nos. 1349 to 1352	— — —	1 0
1354	Venus' Navelwort	<i>Cynoglossum linifolium</i>	72	...	w.	1	7-8	3
1355	Virginian Stock*	<i>Malcolmia maritima</i>	15	61	84	...	ro.	$\frac{1}{2}$	6-7	3
1356	white*	— <i>alba</i>	w.	3
1357	Wallflower, dark	<i>Cheiranthus Cheiri</i>	hS	d.br.	2	5-8	3
1358	violet	— <i>violæceus</i>	v.	3
1359	yellow	— <i>flāvus</i>	y.	3
1360	— larger	— <i>majus</i>	3
1361	mixed, 20 var.	— — —	div.	6
1362	double German	— <i>flore-pleno var.</i>	6
1363	— black brown	— <i>atro-fuscus</i>	d.br.	6
1364	— blue	— <i>cæruleus</i>	b.	6
1365	— dwarf	— <i>nævus</i>	br.	1	...	6
1366	— violet	— <i>violæceus</i>	v.	2	...	6
1367	— yellow	— <i>flāvus</i>	y.	6
1368	Nos. 1363 to 1367	— — —	div.	2 0
1369	Nos. 1357 to 1367	— — —	3 6
1370	Winter Cherry	<i>Physalis Alkakeugi</i>	5	25	141	hA	w.	$2\frac{1}{2}$	7-8	3
1371	Xeranthemum, dou. p.	<i>Xeranthem. annuum, fl. pl.</i>	19	54	81	...	pur.	2	...	3
1372	double white	— <i>album plenum</i>	w.	3
1373	Zinnia, red	<i>Zinnia multiflora</i>	hhA	r.	3
1374	golden yellow	— <i>aurea</i>	y.	3
1375	large-flowered	— <i>grandiflora</i>	r.	3

Choice selections may be made from the following:

I. *Hardy Annuals.*—Nos. 37, 38, 42, 67, 101, 124, 139, 142, 167, 178, 193, 194, 223, 247, 254, 281, 429, 432 to 434, 443, 482, 505, 528 to 530, 593, 607, 674, 696 to 699, 702, 757, 763, 764 to 767, 863, 924, 940, 954, 1027, 1088, 1100 and 1101, 1116, 1130, 1131, 1151 to 1153, 1185, 1191, 1195, 1199, 1202, 1207, 1217 to 1219, 1238, 1246, 1264, 1278, 1281, 1353, &c. &c.

II. *Half-hardy Annuals.*—Nos. 1 to 28, 30, 34, 39, 40, 41, 42, 52, 73 to 75, 162, 168, 226, 227, 228, 261, 266, 288, 300, 303, 314 to 316, 365, 390, 511, 519 to 522, 571, 642 and 643, 656, 694, 710, 725, 844, 864 and 865, 877, 898, 923, 942, 961 and 962, 979, 1044, 1127, 1144 and 1145, 1183, 1210 to 1216, 1295, 1312, 1320, 1344 to 1346.

III. *Hardy and Half-hardy Biennials and Perennials.*—Nos. 29, 35, 45, 48 to 51, 85, 95, 96, 111, 118, 127, 191, 215 and 216, 284 and 285, 329, 363, 374, 457, 462, 475, 518, 531, 601, 616, 619, 634, 649, 685, 785, 798, 832, 885, 895, 896, 933, 946, 1165, 1237, 1287.

IV. *Greenhouse Seeds.*—Nos. 60, 83, 87, 93, 147 and 148, 149, 156, 179, 234 and 235, 237, 238, 273, 286, 294, 317, 377, 378, 397, 424, 430, 448, 483, 487, 489, 506 and 507, 546, 548, 566, 577, 590, 608, 613, 651 and 652, 662, 717, 726, 813, 858, 860, 871, 893, 959, 990, 1048, 1049, 1077, 1079, 1103, 1289.

V. *Stove Seeds.*—Nos. 61, 121, 207, 262, 268, 431, 470, 485, 540, 602, 866, 867, 1050.

* * * *A few hardy Annuals, as Calliopsis, flower earlier and are more certain when treated as half-hardy.* Balsams, Brachycome, Petunia, Phlox Drummondii, Portulaca, and some others, are also proper for the greenhouse. Many of the Greenhouse Seeds may be raised in frames, and several of the Stove Seeds, when raised on heat, flower well in a greenhouse.

FRUIT SEEDS—*per Packet.*

No.	s. d.
1376 Cherry, various, mixed	6
1377 Currant, white, red and black	6
1378 Gooseberry, finest mixed	6
1379 Grape, finest flavoured	6
1380 Melon, Beechwood, extra fine	1 0
1381 — Black Rock	6
1382 — Butler's scarlet	1 0
1383 — Cabul	6
1384 — Carter's green-flesh	1 0
1385 — Cassabar, fine early	1 0
1386 — Clifton hybrid, extra	1 0
1387 — Cuthill's green-flesh	6
1388 — Davy's hybrid, fine	6
1389 — early netted Cantalupe	6
1390 — Egyptian, green-fleshed	6
1391 — — scarlet-fleshed	6
1392 — hybrid Ispahan, extra	1 0
1393 — Ispahan	6
1394 — large green-fleshed	6
1395 — netted Persian	6
1396 — old green-fleshed	6
1397 — Pekin, extra fine	1 0
1398 — scarlet-fleshed	6
1399 — Surdah or Sirdar	6
1400 — Sweet Ispahan	6
1401 — Terry's green-flesh	6
1402 — white-skinned	6
1403 — Windsor Prize	6
1404 — very fine mixed	1 0
1405 — 6 finest sorts	5 0
1406 Mulberry, 3 species	1 0
1407 Quince	6
1408 Peach, Neectarine and Apricot	1 0
1409 Pear and Apple pips, each	1 0
1410 Raspberry, finest	6
1411 Strawberry, red Alpine	6
1412 — white Alpine	6
1413 — British Queen	6
1414 — old Pine	6
1415 — finest mixed	6
1416 Water Melon, 6 var.	1 6

FLOWERING BULBS.

fg Amaryllis aulica	5 0
— Bella-donna	1 0
gs — erocata grandiflora	3 6
gs — falcata	6 0
— formosissima, per doz. 5s. 6d.	0 6
gs — fulgida	4 0
fg — Johnsoni	3 6
fg — atropurpurea	4 0
fg — striata	4 0
fg — Josephiniana	15 0
gs — miniata	4 0
gs — reginae	4 0
fg — vittata	2 6
fg — — grandiflora	4 0
fg — species from the Cape	5 0
fg — 6 fine species for Greenhouse	25 0

Anemones, new double, 100 var.	s. d.	30 0
— 50 do. 15s.	25 do.	7 6
— 12 do. 4s., 12 finest scarlet		3 6
— new mixed double	per lb.	6 0
— do. do. single	"	4 0
Anemone hortensis, 12 fine var.		4 0
— very fine mixed do.	per 100	12 0
fg Cyrtanthus obliquus	each	5 0
hh Dahlia, pot roots, 1s. to 2s. 6d.	"	2 6
fg Disa grandiflora	"	1 0
fg Ferraria undulata, doz. 10s.	"	1 0
fg Gethyllis, 2 fine species	"	1 0
Gladiolus formosissimus, doz. 10s.,	"	1 0
— gandavensis,	" 7s. 6d.,	9
— — hybridus	"	2 6
— oppositiflorus	doz. 2s. 6d.,	3
— Queen Victoria	" 10s.,	1 0
— ramosus	" 7s. 6d.,	9
— roseus major	" 7s. 6d.,	9
— Rosa-Mundi	" 6s.,	6
— speciosissimus	"	1 6
fg Hamanthus, 5 fine species	"	2 0
Iris susiana	"	6
fg — pavonia	doz. 2s. 6d.,	3
fg Lachenalia, 4 fine species, 4s.	"	1 0
fg Massonia latifolia	" 10s.,	2 6
fg Moræa, 5 Cape species, 5s.	"	1 0
fg Nerine speciosissima	"	5 0
fg Ornithogalum aureum	doz. 10s.,	1 0
fg Pelargonium, 4 species, 5s.	"	1 3
fg Pentlandia miniata	"	2 6
Ranunculus, Persian, 200 var. for		40 0
— 100 do. 20s., 50 do. 10s., 25 do.		5 0
— 12 do. 2s. 6d., 50 new Scotch		25 0
— 25 do. Scotch 12s. 6d., 12 do.		6 6
— extra fine mixed	per 100	7 6
— Turban, large scarlet		2 6
— — 200 in 8 var. 16s., 100 in do.		8 0
fg Satyrium, 3 fine species	each	2 6
hh Tigridia Pavonia	per doz.	2 0
— conchiflora	"	4 0
— — superba	"	10 0
fg Tropæolum tricolorum	each	2 6
fg — Jarattii grandiflorum	"	2 6
Tuberose, finest double,	per doz.	4 0

Explanations.—fg, frame or greenhouse ;
gs, greenhouse or stove ; hh, half-hardy.
Those without designation are quite hardy.

SUNDRY PLANTS.

Carnations, extra fine, 12 pair	21 0
Chrysanthemums, doz. 9s., 12s., and 18 0	
Fuchsias, per doz. 9s., 12s., 15s. and 24 0	
Geraniums, per doz. 12s., 15s., 20s. to 40 0	
Heartsease or Pansies	per doz. 12 0
Picotees, extra fine, per 12 pair	20 0
Pinks, do. do. do.	8 0
Roses, standard, doz. 18s., 24s. and 36 0	
— dwarf do. and dwarfs, 10s., 16s. and 18 0	
— China, &c., in pots	12s. to 18 0
Verbenas, very fine	9s., 12s. to 18 0

KITCHEN-GARDEN SEEDS.

Warranted Genuine.

Month of Sow.	oz. ounce; lb. pound; qt. quart.	Price.	Month of Sow.	pa. packet; bush. bushel.	Price.
	<i>See note end of page 32.</i>	<i>s. d.</i>			<i>s. d.</i>
3 and 4	Artichoke, green or pur., per oz.	9	3 to 5	Broccoli, Howden's superb p. oz.	1 0
	Asparagus, Giant "	2		Impregnated wh. "	1 0
11 to 6	Beans, early sorts per qt.			Invisible "	1 0
	earliest dwarf Fan "	6		Knight's self-protecting, "	1 0
	early Mazagan "	6		Lake's white "	1 0
	— Lisbon "	6		large Cornish "	1 6
	— long-pod "	6		— Spring white "	1 0
	green long-pod "	6		— — purple "	1 0
	Johnson's Wonderful "	6		late Cape "	1 6
1 to 5	Toker or intermediate "	6		— close-headed pur. "	1 0
	large Windsor "	6		— white "	1 0
	Taylor's do. "	6		London Particular "	1 6
	thick-seeded do. "	6		Miller's dwarf white "	1 0
	green do. "	6		new Mammoth "	1 6
4 to 6	Beet, fine large red per oz.	3		new Victoria "	1 0
	new German "	4		Portsmouth "	1 0
	new black "	4		Potter's new pink "	1 0
	new crimson "	4		Snow's superb "	1 0
	turnip-rooted "	4		very late dwarf Danish "	1 0
	silver or Spinach Beet "	3		Wilcove's large white "	1 0
	white "	3		Winter Imperial "	1 0
	Garnishing, in 3 col. per pa.	3		1 oz. 8 best for succession	8 0
4 to 5	Borecole, or Kail per oz.			1 " 4 do. do.	4 0
	dwarf green curled "	3		$\frac{1}{2}$ " 8 do. do.	4 6
	dwarf brown "	3		$\frac{1}{2}$ " 4 do. do.	2 6
	tall green "	3	3 to 5	Brussels Sprouts per oz.	6
	Asparagus, new "	6		imported Belgian "	1 0
	Buda "	3	3 to 9	Cabbage, Atkins' Matchless "	6
	Delaware "	3		Barnes' early "	6
	Jerusalem "	3		Carter's early "	1 0
	Knoll "	3		Carter's Matchless "	1 0
	new heading "	6		early Battersea "	6
	purple "	3		— dwarf "	6
	Ragged Jack "	3		— East Ham "	6
	variegated, 3 vars. "	6		— Emperor "	6
3 to 5	Broccoli, early pur. Cape per oz.	1 0		— Enfield "	6
	early improved do. "	1 6		— London Market "	6
	— white Cape "	1 0		— Nonpareil "	6
	— green "	1 0		— Paignton "	6
	— Cauliflower "	1 0		— Spotbro' "	6
	— close-headed pur. "	1 0		— Sugar-loaf "	6
	— Grauge's "	1 0		— Vanack "	6
	— Malta "	1 0		— Wellington "	6
	— October "	1 0		— York "	6
	— purple "	1 0		King of the Cabbages "	6
	— sprouting "	1 0		Morning Star, Waite's "	1 0
2 to 9	— Walcheren "	1 6		Shilling's Queen "	6
3 to 5	— white "	1 0		large Battersea "	6
	Adams' new dwarf "	1 6		— Imperial "	6
	American, extra "	1 6		— Pomeranian "	1 0
	Brimstone "	1 0		— York "	6
	Chappel's cream "	1 0		largest Drumhead "	3
	dwarf Russian "	1 0		— flat Scotch "	3
	— Siberian "	1 0		1 oz. 6 finest for succession	4 0
	Elletson's gigantic "	1 6		$\frac{1}{2}$ " 6 do. do.	2 0
	Field's new white "	1 0		Red, for pickling per oz.	6
	Hampton Court "	1 0		Savoy, new Ulm "	1 0

Month of Sow.	oz. ounce; lb. pound; qt. quart.	Price.	Month of Sow.	pa. packet; bush. bushel.	Price.
		<i>s. d.</i>			<i>s. d.</i>
3 to 9	Cabbage, Savoy, dwf. gr. per oz.	6	1 to 10	Cucumbers:	
	— Drumhead "	6		Manchester Prize per pa.	6
	— globe "	6		Man of Kent "	6
	— yellow "	6		Mills's Jewess "	6
	Braganza "	1 0		New early Prolific "	1 0
	Chou de Milan, imported "	1 0		Norfolk Champion "	1 0
	Colewort (for greens) "	6		Roman Emperor "	1 0
	Cove Tronchuda "	1 0		*Sion House "	6
	Kohl-Rabi, c. Vienna "	1 0		Snow's white spine "	1 0
	— large purple "	4		Victory of England, Lat. "	6
	Thousand-headed "	3		Walker's Prize-fighter "	6
1 to 10	Carrot, early Horn per oz.	3		Walker's Rambler "	1 0
	early scarlet frame "	3		*Weedon's frame "	6
3 to 5	long Surrey "	3		*Webb's Invincible "	2 6
	— orange "	3		6 finest varieties "	5 0
	large Altringham "	2		finest mixed "	1 0
1 to 4	Cauliflower, early English "	1 6		Egg Plant "	3
and in	late English "	1 6	5 to 8	Endive, green curled per oz.	6
August	— Asiatic "	1 0		white curled "	6
	Popart's new early "	1 6		Batavian, green "	6
	Radford's largest "	1 6		— white "	6
	Fitch's early London "	1 6	1 to 8	French beans, dwarf dun, p. qt.	1 0
	— new late "	1 6		dwarf Canterbury "	1 0
	Walcheren "	1 6		*— dark dun "	1 0
	black Sicilian "	1 6		*— Fulmer's forcing "	1 0
	1 oz. 4 best for succession "	5 0		*— Negro "	1 0
	$\frac{1}{2}$ " 4 do. do. "	2 6		— Negro Major "	1 0
4 to 6	Cardoon, Spanish per oz.	6		— speckled "	1 0
	new large purple "	1 0		— Turkey "	1 6
3 to 5	Celery, Giant red "	4		tall or Scarlet Runners "	1 0
	Giant white "	4		Dutch Case-knife "	1 0
	Jones' Matchless "	4		tall French Haricots "	1 0
	Laue's new red "	1 0		— Painted Lady "	1 0
	large-rooted Celeriac "	3		— round Turkey "	1 6
	Law's white Giant "	4	3 to 5	Ice plant per pa.	3
	Manchester red "	4	4 to 5	Indian Corn, mixed "	3
	Manchester white "	4		40 day (Quarantain) "	3
	Seymour's white "	4		Early Sugar for boiling "	3
	solid red "	3	3 to 5	Leek, London Flag per oz.	6
	solid white "	3		Muscelburg "	1 0
	Wheeler's pink "	3		new Giant "	1 0
5 to 7	Corn Salad "	3	1 to 8	Lettuce, Cos, Ady's "	1 0
1 to 12	Cress, common per qt.	1 0		Cos, Artichoke-leaved "	1 0
	triple curled "	1 6		*— Bath "	1 0
	golden per oz.	2		*— black-seeded Bath "	1 0
	Normandy "	2		— blood "	1 0
	perennial American "	3		— Brighton "	1 0
	Water-cress per pa.	6		— Cove "	1 0
1 to 10	Cucumber, fine frame "	6		*— brown "	1 0
	long prickly, per oz. 1s. "	3		*— Egyptian "	1 0
	long Ridge "	3		— Florence "	1 0
	Stockwood, extra "	6		— green "	1 0
	short prickly "	3		*— new hardy green "	1 0
	white Turkey "	3		*— white "	1 0
	Prize varieties, per packet "	1 0		— Nonpareil, white "	1 6
	Allen's Victory of Suffolk "	1 0		— green "	1 6
	Black Spine "	6		— Paris "	1 0
	Carter's white spine "	1 0		— white "	1 0
	*Colney Hatch, extra "	1 0		1 oz. 6 best sorts "	6 0
	*Cuthill's black spine "	6		$\frac{1}{2}$ " 6 do. do. "	3 0
				Cabbage, white per oz.	1 0

Month of Sow.	oz. ounce; lb. pound; qt. quart.	Price.	Month of Sow.	pa. packet; bush. bushel.	Price.
		<i>s. d.</i>			<i>s. d.</i>
* Both for Autumn and Spring Sowing.	1 to 8 Lettuce, Cabbage, Endive-ld. oz.	1 0	11 to 5	Peas: Bishop's e. dwarf 1 qt.	1 0
	— Asiatic "	1 0		— new long-podded "	1 0
	— Belle et Bonne "	1 0		**Champion of Engl. 3 "	1 6
	— blood-red "	1 0		Early blue, Eclipse 1½ "	1 0
	*— brown Dutch "	1 0		Fairbeard's Surprise ½ "	1 0
	— Drumhead "	1 0			
	— Grand Admiral "	1 0		II. <i>Later sorts.</i>	
	*— hardy Hammersmith "	1 0	1 to 6	Marrow, Stub's e. blue 1½ "	1 0
	— Imperial "	1 0		— early green 3 "	8
	— Magnum Bonum "	1 0		†— dwarf white "	8
	— Malta "	1 0		— dwarf green "	8
	— Marseilles "	1 0		— Glory of England "	8
	— Mogul "	1 0		†— matchless green 5 "	8
	*— white "	1 0		†— Royal Victoria 6 "	8
	*— pink-edged "	1 0		— Woodford's green 3 "	8
	*— Tennis-ball "	1 0		III. <i>Wrinkled Marrows.**</i>	
	*— Turkey "	1 0	1 to 6	†British Queen 5-6 "	1 6
	*— white Winter "	1 0		†Carter's Victoria 6 "	2 0
	Silesian, brown "	1 0		†Knight's dwarf white 3 "	1 0
	1 oz. 6 finest sorts "	5 0		†— dwarf green "	1 0
	½ " 6 do. do. "	2 6		†— tall white 5 "	1 0
4 to 5	Love apple (Tomato), red "	1 0		†— tall blue "	1 0
	yellow packet 3d. "	1 0		†Ne Plus Ultra "	1 6
3 to 6	Mallow, garnishing per pa.	3		†Waite's King of Mar. 6 "	3 0
1 to 12	Mustard, white per qt.	1 0		†Ward's Incomparable 5 "	1 6
3 to 6	Onion, blood-red per oz.	4			
	*Deptford "	4		IV. <i>Various Peas.</i>	
3 to 5	Globe "	6	1 to 6	†Bedman's Imperial 3 "	8
	— new white "	6		Blue Prussian "	6
	James's keeping "	6		Flack's Victory "	8
8 to 9	*Lisbon "	4		Pride of Sussex 1½ "	1 0
	*new Giant "	8		†Seimitar 3 "	6
3 to 6	Pickling "	8		Sugar, dwarf "	1 6
	Portugal, brown "	4		Sugar, tall 5 "	1 6
	— white "	4		10 finest for sue. 1 qt. each	12 0
	*Reading "	4		10 do. do. 1 pt. "	6 0
	Silver-skinned "	8		6 newest do. 1 qt. "	10 0
	*Spanish, brown "	4		6 do. do. 1 pt. "	5 0
	— white "	4			
	*Strasburg "	4		The <i>Wrinkled Marrows**</i>	
8 to 9	*Tripoli, large flat "	8		(including also <i>Champion of</i>	
	*— round "	8		England,) see No. III., form a	
2 to 6	Both for Autumn and Spring Sowing. Two-bladed early "	6		distinct class, and can be highly	
	Yellow Pear "	6		recommended. Carter's Vic-	
8 to 9	*Welch "	3		toria Marrow is warranted	
	6 finest sorts, 2 oz. each	6 0		the largest and finest-flavoured	
	6 do. do. 1 do.	3 0		of all the White Peas. Waite's	
4 to 8	Parsley, extra curled per oz.	3		blue King of the Marrows is	
	Myatt's garnishing "	3		also most excellent.—†Best for	
	new matchless "	6		late crop.	
	large-rooted Hamburg "	3			
3 to 5	Parsnip, best large "	3			
	Peas: the usual height in feet.		2 to 5	Pumpkin, large per pa.	3
11 to 5	1. <i>Earliest sorts.</i> p. qt.			Potato, early per pa. 6d. p. oz.	1 6
	Warner's Emperor 3 "	9		late " 6d. "	1 6
	Prince Albert "	9		Silver-skin " 1s. "	3 6
	early frame 6d., Kent, "	6	1 to 12	Radish, long frame per qt.	2 6
	— May 6d., Warwick, "	6		Wood's new frame "	2 0
	— Charlton "	6		early scarlet "	2 0
	Auvergne "	9		new London particular "	2 6

N.B. A quart of Peas equal to 2 lb.

Month. of Sow.	oz. ounce; lb. pound; qt. quart.	Price.	Month of Sow.	pa. packet; bush. bushel.	Price.
1 to 12	Radish, early short topt, per qt.	2 0		ROOTS AND PLANTS.	
	long Salmon "	2 0		<i>Prices variable.</i>	<i>s. d.</i>
	white Naples "	3 0	3 to 5	Artichokes per peck	2 0
	red Turnip "	2 0		Asparagus Plants, large, per 100	5 0
	white Turnip "	2 0		Garlic per lb.	1 0
	mixed Turnip "	2 0		Mushroom Spawn per bush.	4 0
	new olive-shaped "	3 0	1 to 6	Potato, early ash-leaved p. peck	2 6
	new Chinese per pa.	6		— early flour-ball "	3 0
	Black Spanish per oz.	3		— early frame "	2 6
4 to 6	Ranpion per pa.	3		— early Oxford "	2 6
	Rhubarb, Linnæus "	6	4 to 6	— red Keat "	2 6
	Royal Albert "	6		— Regent "	2 0
	Tobolsk "	6		— Yorkshire red, &c. &c., "	2 0
	Victoria "	6		Rhubarb, 3 finest sorts	4 6
	Salsafy, root per oz.	4		Sea Kail per 100	10s
8 to 9	Scandix bulbosa, root "	6		Shallots per lb.	1 0
4 to 6	Scorzonera, root "	4		<i>And all other Seeds and</i>	
3 to 6	Sea Kail "	6		<i>Plants for the Kitchen Garden.</i>	
	Skirret, root "	6		<i>When sown before the usual</i>	
	Sorrel "	4		<i>time in Spring, a hot-bed frame</i>	
2 to 6	Spinach, round per qt.	1 0		<i>is required for Carrot, Cauli-</i>	
2 to 9	prickly "	1 0		<i>flower, Cucumber, French</i>	
	broad Flanders "	1 0		<i>Beans, Lettuce, Potato, Pomp-</i>	
3 to 6	New Zealand per oz.	6		<i>kin, Radish, Vegetable Marrow,</i>	
2 to 5	Squash, fine mixed per pa.	3		<i>and a few others, except Peas</i>	
2 to 6	Turnip, early Dutch per oz.	3		<i>and Beans.</i>	
4 to 9	early Mousetail "	3		AGRICULTURAL SEEDS.	
	— Six-week "	3		<i>Prices variable.</i>	
	— Snowball "	3		Cabbage, largest Drumhead lb.	2 6
	— Nonsuch "	3		— large flat Scotch "	2 6
	— Stone or Stubble "	3		Carrot, largest white Belgian "	1 6
	new black for stewing "	4		— large red Altrincham "	1 6
5 to 9	large white "	2		Clover, red "	8
4 to 7	yellow Maltese "	3		— white "	8
	— Dutch "	3		— Alsike hybrid "	2 0
	— Preston "	3		— perennial "	9
	— Stone "	3		Grass Seeds, all sorts.	
5 to 7	— Swedish "	2		— best for Lawns per acre	35s
2 to 5	— Teltau or Märksche "	6		— for permanent pasture "	25s
	Vegetable Marrow per pa.	3		— Rye Grass, Pacey's bush.	7 0
	HERBS, &c.			— — Italian "	8 0
	<i>3d. per packet, and from 6d. to</i>			— — Perennial "	6 0
	<i>1s. per ounce.</i>			Mangel Wurzel, long red p. lb.	9
4 to 6	Angelica, Balm, Dill, Sweet			— long yellow "	9
	Basil, Bush Basil, Borage,			— Globe red "	9
	Buglos, Burnet, Chervil, Cap-			— Globe yellow "	9
	sicum, Chilis, Clary, Fennel,			Parsnip, largest field "	1 0
	Florence Fennel, Hyssop, La-			Sugar Beet, Silesian "	1 0
	vender, Sweet Marjoram, Pot			Trefoil "	4
	Marjoram, Pot Marigold,			Turnip, yellow Aberdeen "	8
	Green Purslain, Golden Pur-			— Dale's hybrid "	8
	slain, Rosemary, Rue, Sage,			— Red Round "	6
	Summer Savory, Winter Sa-			— Swedish, Lane's "	9
	vory, Thyme, Tobacco for fu-			— —, Skirving's "	9
	migating, Wormwood. Tara-			— —, purple top "	9
	gon is to be had in plants			— Tankard, yellow "	9
	only.			— —, white "	9
				— White Globe, &c. &c., "	6